REMOVAL SITE EVALUATION TRIP REPORT REVISION 01

RADIATION – STANDARD PRODUCTS, INC. (FORMER) WICHITA, KANSAS

CERCLIS ID KSN000705966

Superfund Technical Assessment and Response Team (START) ${\bf 3}$

Contract No. EP-S7-06-01, Task Order No. 0131

Prepared For:

U.S. Environmental Protection Agency Region 7 901 North 5th Street Kansas City, Kansas 66101

August 17, 2009

Prepared By:

Tetra Tech EM, Inc. 415 Oak Street Kansas City, Missouri 64106 (816) 412-1741

INTRODUCTION

Tetra Tech EM Inc. (Tetra Tech) was tasked by the U.S. Environmental Protection Agency (EPA) Region 7 to conduct a removal site evaluation (RSE) at the former Standard Products, Inc., site (Standard Products) in Wichita, Kansas. The assessment was conducted under the authority of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980 and the Superfund Amendments and Reauthorization Act (SARA) of 1986. The project was assigned under Superfund Technical Assessment and Response Team (START) Contract No. EP-S7-06-01, Task Order No. 0131. The former Standard Products facility was the location of an aircraft instrument repair shop in the 1950s and 1960s (Kansas Department of Health and Environment [KDHE] 2006). An investigation at the site by KDHE, reported in March 2006, identified radium-226 impacted soil on the site (KDHE 2006).

The primary objective of the RSE was to determine the extent of radium-226 contamination (and other associated radionuclides) in surface and subsurface soils and within interior buildings at the Standard Products site. To accomplish this objective, START conducted on-site and off-site real-time monitoring of surface and subsurface soils, and collected soil samples for laboratory analysis. EPA conducted interior gamma surveys of on-site buildings. In addition, electret ion chamber radon detectors were deployed to measure airborne levels of radon. This trip report details the sampling activities and results, and any deviations from the approved quality assurance project plan (QAPP).

AREA LOCATION/DESCRIPTION

The Standard Products site is located in Wichita, Kansas, in the southeast quarter of Section 36, Township 25 South, Range 1 West (see Appendix A, Figure 1). The site includes several parcels, including 650 East Gilbert Street, the location of the former Standard Products facility, and adjoining parcels where radiologically impacted soil has been identified, including a private residence at 920 S. St. Francis Street and the Guadalupe Clinic at 940 S. St. Francis Street (see Appendix A, Figure 2). The approximate center of the 650 East Gilbert Street parcel is at the following coordinates: 37.674880 degrees north latitude and 97.330500 degrees west longitude. The 650 E. Gilbert Street parcel occupies approximately 2.67 acres and is the location of a single 11,000-square-foot warehouse currently occupied by Phillips Southern Electric. The 920 S. St. Francis Street parcel is a private residence with a single-story house, a carport, several small detached sheds, and lawn and landscaped areas. The private residence occupies approximately 0.125 acre. The 940 S. St. Francis Street parcel is a single-story brick building occupied by the Guadalupe Clinic, a community healthcare clinic.

PREVIOUS INVESTIGATIONS

KDHE performed a Unified Focus Assessment (UFA) at the Standard Products site in 2006. An initial screening survey of the property by KDHE identified several areas with total gamma radiation readings above background. The maximum screening result in this area was 17,000 microRoentgens per hour $(\mu R/hr)$. Laboratory results indicated a maximum radium-226 detection of 81,800 picoCuries per gram (pCi/g) (KDHE 2006).

SAMPLING ACTIVITIES

Field work for the RSE was conducted during the week of March 23, 2009. Tetra Tech START team members included Rob Monnig, project manager, and Colin Willits. Randy Schademann, Don Lininger, Megan Brunkhorst, and James Johnson, EPA Region 7 On-Scene Coordinators, were also on site. Additional visits were made on April 14 and 21, 2009 and May 5, 2009 to conduct additional radon monitoring and soil sampling. Field activities proceeded in accordance with the approved QAPP, except as noted in this report. All sampling related activities were recorded in a logbook (see Appendix C). Photographs were also taken to document site activities (see Appendix D).

Surface Soil Gamma Survey

EPA and START conducted a survey of gross gamma activity over exterior land areas of the site. The survey data was generated using a Ludlum Model 2221 ratemeter with a Ludlum Model 44-20 sodium iodide (NaI) scintillation detector coupled with a Trimble Global Positioning System (GPS) unit and a notebook computer running Rapid Assessment Tool Software (RATS). RATS is a software program developed by the EPA Region 5 Field Environmental Decision Support (FIELDS) Team that integrates real-time data from GPS and environmental monitoring devices. RATS stores the sample data with its GPS location in a file and plots the results in a dynamic, two-dimensional display in real time. To conduct the survey, the surveyor walked in a forward direction at 1 to 2 feet per second while swinging the detector back and forth, and holding the detector approximately 6 inches above the ground, thus generally covering a serpentine pattern over the ground surface. The survey detected multiple areas of elevated gamma readings. Figure 3 in Appendix A presents the survey results.

Subsurface Soil Gamma Survey and Sampling

Multiple soil borings were advanced at the site to assess the vertical extent of radionuclide contamination. The locations of the soil borings are identified on Figure 4 in Appendix A. The soil borings were advanced up to depths of 8 feet below ground surface (bgs) using a track-mounted GeoProbe® equipped

with a Macrocore® sampler. Continuous soil cores were collected into Macrocore sleeves as the borings were advanced. In-situ subsurface gamma activity was logged at 1-foot intervals within the boreholes using a Ludlum Model 44-62 0.5-inch (") diameter by 1" thick NaI scintillation detector connected to a Ludlum Model 2241-3 ratemeter. Soil samples were collected from selected soil borings for laboratory analysis for radionuclides. Samples were submitted to the EPA National Air and Radiation Environmental Laboratory (NAREL) in Montgomery, Alabama. Figure 5 in Appendix A presents the vertical gamma profiling data, identifies the vertical intervals where soil samples were collected, and presents the laboratory-determined radium-226 concentrations of the collected soil samples.

From the 650 E. Gilbert Street parcel, six surface soil samples (650-SS-9-1, 650-SS-12-1, SS-23-1, 650-SS-24-1, and 650-SS-BGA, and 650-SS-BGB) were collected from areas exhibiting elevated gamma readings and from background locations. The locations of these soil samples are identified on Figure 4 in Appendix A. Samples were submitted to NAREL in Montgomery, Alabama.

During a subsequent investigation trip on May 5, 2009, START collected four soil samples from two locations (902-01 and 902-02) from the 920 S. St. Francis Street parcel within identified areas of concern. The locations of these soil samples are identified on Figure 4 in Appendix A. Samples were submitted to the GEL Laboratories, LLC (GEL) in Charleston, South Carolina.

Interior Gamma Surveys and Radon Monitoring

EPA conducted interior surveys within the Phillips Southern Electric warehouse building on the 650 E. Gilbert Street Parcel, within the Guadalupe Clinic building on the 940 S. St. Francis Street parcel, and within the private residence at 920 S. St. Francis Street. A Ludlum Model 2241-2 ratemeter with a Ludlum Model 44-10 NaI scintillation detector and a Ludlum Model 192 MicroR meter were used to conduct the interior gamma surveys. Readings above background levels were not observed within the Guadalupe Clinic. Elevated gamma readings were observed within the private residence and within the Phillips Southern Electric warehouse. These elevated readings were attributed to radiologically impacted soil located adjacent to or beneath these structures.

Monitoring for radon, a daughter product of radium, was conducted within the 920 S. St. Francis Street private residence and within the Guadalupe Clinic to determine if radium may have impacted indoor air quality. Electret ion chamber radon detectors (EC) were used to measure indoor radon concentrations. An EC contains a charged electret (an electrostatically-charged disk of Teflon®), which collects ions formed in

the chamber by radiation emitted from radon and radon decay products. When the device is exposed, radon diffuses into the chamber through filtered openings. Ions generated continuously by decay of radon

and radon decay products are drawn to the surface of the electret and reduce its surface voltage. The amount of voltage reduction is related directly to the average radon concentration and the duration of the exposure period (EPA 1992).

On April 14, 2009, START deployed RadElec E-PERM® ECs within the 920 S. St. Francis Street residence and within the Guadalupe Clinic. The ECs were deployed in pairs within the following rooms: a bedroom of the 920 S. St. Francis Street residence, the cafeteria of the Guadalupe Clinic, and at the nurse's station in the Guadalupe Clinic. The ECs were left in place for an exposure period of 7 days. On March 21, 2009, START collected the ECs. START measured both the initial and final voltages of the electrets and used RadElec's software to determine the radon concentrations. The measured radon concentrations were all below the EPA-established health-based level of 4 picoCuries per liter (pCi/L). The radon measurement results are presented in Appendix B, Table 1.

ANALYTICAL DATA SUMMARY

Soil samples collected on March 23, 2009, from the 650 E. Gilbert Street parcel were submitted to NAREL for the following analyses: gross alpha/beta, radionuclides by gamma spectroscopy, and uranium and thorium by extraction chromatography. Table 2 in Appendix B summarizes the analytical results for soil samples collected from the 650 E. Gilbert Street parcel. Soil samples collected on May 5, 2009, were submitted to GEL for radium-226 analysis by bismuth-ingrowth/gamma spectroscopy. Table 3 in Appendix B summarizes the analytical results for soil samples collected from the 920 S. St. Francis Street parcel. The laboratory data suggest that elevated gamma activity at the site can be attributed primarily to radium-226 and its progeny. The analytical reports are included in Appendix E.

Standards have been developed for cleanup of radiation-contaminated soil under the Uranium Mill Tailings Radiation Control Act (UMTRCA) of 1978, as found in 40 *Code of Federal Regulations* (CFR) Part 192; however, these standards were developed specifically for uranium mill tailings sites. The purpose of these standards was to limit the risk from inhalation of radon decay products in houses built on mine tailings, and to limit gamma radiation exposure to people using contaminated land. UMTRCA specifies two cleanup standards based on the concentrations of radium-226: (1) a surface soil cleanup to 5 pCi/g and (2) a subsurface soil cleanup to 15 pCi/g. An EPA Memorandum of February 12, 1998, clarifies the use of these two UMTRCA soil cleanup standards for CERCLA sites (EPA 1998). The

surface soil standard of 5 pCi/g of radium-226 is a health-based standard and was developed to control the hazard from gamma radiation; therefore, this standard may be appropriate and relevant to CERCLA sites. The subsurface soil standard of 15 pCi/g of radium-226 was not developed as a health-based standard, but specifically for uranium mill tailings sites as a tool for locating discrete deposits of high-activity tailings in the subsurface using field instruments; therefore, this subsurface soil standard may not be appropriate or relevant to the Standard Products site. For the site, EPA has established a time-critical removal action level for radium-226 of 5 pCi/g above background in soil. The mean radium-226 concentration of the background soil samples collected from the 650 E. Gilbert Street parcel is 2.16 pCi/g. Therefore, the estimated time-critical removal action for the Standard Products site for radium-226 is 7.16 pCi/g. Multiple samples collected from the site exhibited radium-226 concentrations above the estimated removal action level (see Appendix B, Tables 2 and 3).

DEVIATION FROM THE QAPP

The QAPP specifies use of a Durridge RAD7 direct read radon monitor. Instead of a Durridge RAD7, E-PERM® electret ion chambers manufactured by Rad-Elec were used to measure indoor radon concentrations. Use of the E-PERM electret ion chambers meets the data quality objectives (DQO) specified in the QAPP as an acceptable method for measuring indoor radon concentrations.

The QAPP specifies laboratory determination of radium-226 concentrations using both gamma spectrometry and alpha spectrometry methods; however, due to limited resources at NAREL, only the gamma spectrometry method was used for determining radium-226 concentrations from samples collected from the 650 E. Gilbert Street parcel.

REMOVAL CONSIDERATIONS

Based on information obtained during this RSE and the previous site assessment performed by KDHE, a removal action is warranted at the Standard Products site to address radium-226 contamination in surface and subsurface soils. A removal site evaluation form is provided in Appendix F.


PRE-REMEDIAL CONSIDERATIONS

Pre-remedial issues had been evaluated as part of the KDHE UFA of the site in 2006. Based on the results of this assessment, no further pre-remedial investigation activities appear warranted.

REFERENCES


- Kansas Department of Health and Environment (KDHE). 2006. Unified Focus Assessment Report, Standard Products, Inc. (Former), 650 East Gilbert, Wichita, Kansas. March.
- U.S. Environmental Protection Agency (EPA). 1998. Interoffice Memorandum Regarding Use of Soil Cleanup Criteria in 40 *Code of Federal Regulations* (CFR) Part 192 as Remediation Goals for Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Sites. From Stephen D. Luftig, Director of Office of Superfund Remediation Technology Innovation. To Distribution. February 12.
- EPA. 1992. Indoor Radon and Radon Decay Product Measurement Device Protocols. Office of Air and Radiation. EPA 402-R-92-004. July.

APPENDIX A
FIGURES










Depth (ft bgs) 0.0 - 1.0 1.0 - 2.0 2.0 - 3.0 3.0 - 4.0 4.0 - 5.0 5.0 - 6.0 6.0 - 7.0 7.0 - 8.0	650-SB-BG1 1.1 - 1.7 - 2.2 2.29 1.8 - 1.9 - 2.0 1.7 1.9 -	650-SB-BG2 1.4 - 1.8 - 2.0 2.26 2.0 - 1.9 - 1.9 - 1.8	650-SB-3-1 300.0 95.0 81.0 173.0 315.0	32.0 - 5.6 - 3.4 - 4.2 - 5.4 -	9.0 - 2.5 - 2.0 - 1.9 - 1.7 -	650-SB-5-1 19.6 3.4 2.0 1.7 1.6	650-SB-6-1 12.9 - 3.6 - 2.1 - 1.8 - 1.6	84.0 - 13.0 - 2.4 - 2.1 - 1.8 -	650-SB-7-1 6.8 2.4 2.1 1.8 1.6	650-SB-7-2 33.7 13.3 8.5 2.5 1.8 1.6	650-SB-8-1 2.5 -
Depth (ft bgs) 0.0 - 1.0 1.0 - 2.0 2.0 - 3.0 3.0 - 4.0 4.0 - 5.0 5.0 - 6.0 6.0 - 7.0 7.0 - 8.0	650-SB-10-1 2.1 6.89 2.1 1.8 - 1.9 -	650-SB-11-1 1.7 - 1.7 - 1.5 - 1.8 1.9	650-SB-12-1 34.3 - 17.3 - 6.7 - 2.9 - 2.3	650-SB-12-2 10.1 14.1 5.5 2.8 2.4	650-SB-13-1 3.5 10.4 2.2 5.14 2.0 - 1.9 - 2.0 -	367.0 23.6 8.7 3.2 1.7 2.3	650-SB-13-3 47.4 - 8.4 - 2.5 - 2.2 - 1.9 -	650-SB-16-1 15.2 - 4.6 2.4 - 2.2 1.9	90.2 21.2 302 4.2 (0-3.5 FT) 2.75 1.8	650-SB-X-1 5.5 - 3.1 - 2.0 1.9 1.6	



Radiation - Standard Products, Inc. (Former)
Wichita, Kansas

Figure 5 Downhole Gamma Logging Results







Note: The Environmental Protection Agency does not guarantee the accuracy, completeness, or timeliness of the information shown, and shall not be liable for any injury or loss resulting from the reliance upon the information shown.

APPENDIX B

TABLES

RADON MONITORING RESULTS
RADIATION - STANDARD PRODUCTS, INC. (FORMER), WICHITA, KANSAS

TABLE 1

E-PERM® Serial Number	Location	Start Date	Start Time	Finish Date	Finish Time	Sample Time (Days)	Background Gamma ¹ (µR/hr)	Rn-222 (pCi/L)
SDH638	920 S. St. Francis Street - Bedroom	4/14/2009	11:15	4/21/2009	11:48	7.02	12	2.8
SEU325	920 S. St. Francis Street - Bedroom	4/14/2009	11:15	4/21/2009	11:48	7.02	12	3.3
SEU339	Guadalupe Center - Lunch Room	4/14/2009	11:25	4/21/2009	11:51	7.02	14	0.8
SDH570	Guadalupe Center - Lunch Room	4/14/2009	11:25	4/21/2009	11:51	7.02	14	1.1
SEU464	Guadalupe Center - Nurse's Station	4/14/2009	11:34	4/21/2009	11:48	7.01	9	1.0
SDK324	Guadalupe Center - Nurse's Station	4/14/2009	11:34	4/21/2009	11:48	7.01	9	1.0

Notes:

pCi/L picoCuries per liter

Rn Radon

μR/hr microRoentgens per hour

¹ Estimated background gamma activity based on field observation of Ludlum Model 192 microR detector.

TABLE 2

LABORATORY RESULTS FOR SOIL SAMPLES COLLECTED FROM 650 E. GILBERT STREET RADIATION - STANDARD PRODUCTS, INC. (FORMER), WICHITA, KANSAS

Sample Information		Gross Alpha/E	Beta Analysis ¹					Gamma Sp	ectroscopy A	nalysis²						Thorium A	Analysis ³		Uran	ium Analysis ⁴	
				Uraniı	ım-238 Deca	y Series		Thorium-232	Decay Series		Uranium-	235 Decay Series	Misc. Rad	ionucludes							
Sample Name	Date Collected	Alpha	Beta	Th-234 Ra-226	* Pb-214 *	Bi-214* Pb-210	Ra-228 F	Ra-224 Pb-2	212 Bi-212	TI-208	U-235 *	Th-227 Ra-223 *	Cs-137	K-40	Th-227	Th-228	Th-230	Th-232	U-234	U-235 U-	J-238
650-SB-7-2 (0-1 FT)	3/26/2009	7.00	33.00	13.3	9.82	9.14	0.535	0.816 0.5	49 0.601	0.176	0.835	0.176	0.0973	12.3							
650-SB-10-1 (0-1 FT) 650-SB-10-1 (1-2 FT)	3/26/2009 3/26/2009	79.70 17.00	41.10 24.80	6.89 1.21 ND	5.28 1.17	4.90 1.12		0.440 0.7 0.532 1.0		0.229 0.349	0.432 0.112	0.0941 0.238	0.0137 0.0223	21.0 18.5							
650-SB-13-1 (0-1 FT) 650-SB-13-1 (1-2 FT)	3/26/2009 3/26/2009	195.00 67.90	56.60 18.80	1.30 10.4 3.78 5.14	15.3 5.13	14.3 4.87 4.17	0.637 0.878	1.59 0.6 1.01 0.9		0.226 0.306	1.24 0.245	0.395 0.236 0.490	0.0529 ND	11.6 7.85							
650-SB-13-2 (0-3.5 FT) 650-SB-13-2 (0-3.5 FT) (laboratory duplicate) 650-SB-13-2 (3.5-4 FT)	3/26/2009 3/26/2009 3/26/2009	3270.00 47.20	568.00 31.70	302 1.7	247	241 160 1.04	ND 1.51	16.1 0.8 1.5		0.489	0.107		ND ND	15.8 18.9	0.0808 0.105	0.541 0.489	1.03 0.976	0.558 0.61	1.01	0.0953 1	1.991 1.05
650-SB-13-3 (0-1 FT) 650-SB-13-3 (1-2 FT) 650-SB-13-3 (2-3 FT)	3/26/2009 3/26/2009 3/26/2009	2380.00 252.00 43.20	430.00 67.10 30.90	187 15.7 0.663 2.31	142 10.5 1.25	133 9.99 1.23 0.773		9.66 0.9 1.21 1.0	1.45	0.224 0.318 0.484	0.983 0.142	0.604 	ND 0.090 ND	11.6 16.6 22.0	0.0653	0.984 	1.29	0.866 	1.31	0.100 1	1.08
650-SB-17-1 (0-3 FT) 650-SB-17-1 (3-4 FT)	3/26/2009 3/26/2009	3080.00 34.30	584.00 37.80	302 0.712 2.75	180 1.64	167 1.54 1.60	ND 1.45	7.50 0.9 1.0		0.173 0.472	0.172		ND ND	18.8 23.0							
650-SS-9-1 (surface soil sample)	3/26/2009	98.70	45.70	10.6	7.44	6.90	0.814	1.15 0.8	15 1.13	0.269	0.666	0.208	ND	19.6							
650-SS-12-1 (surface soil sample)	3/26/2009	13.90	20.80	0.567 1.49	0.828	0.778 2.00	0.742	0.749 0.6	91 0.769	0.224	0.0936		0.254	17.0	0.0711	0.787	0.748	0.828	0.709	0.0335 0.	.882
650-SS-23-1 (surface soil sample)	3/26/2009	178.00	48.10	20.1	16.2	15.9 8.06	0.595	0.7	17	0.105			0.236	17.1							
650-SS-24-1 (surface soil sample)	3/26/2009	103.00	45.60	8.92	6.12	5.74	0.591	0.931 0.5	62 0.489	0.129	0.560	0.123	0.24	19.2							
							Backgr	ound Sample	s												
650-SS-BGA (background surface soil sample)	3/26/2009	37.00	35.70	0.360 2.81	1.79	1.72 2.00	0.751	0.876 0.7	31 0.778	0.238	0.177	0.196	0.160	18.7	0.0130	0.717	0.600	0.817	0.549	0.0242 0.	.604
650-SS-BGB (background surface soil sample)	3/26/2009	35.30	25.60	0.410 1.43	0.824	0.820 2.00	0.753	0.592 0.7	33 0.679	0.238	0.0903	0.230	0.254	16.7	0.0415	0.842	0.544	0.561	0.521	0.0444 0.	0.506
650-SB-BG1 (2-3 FT) (background sample) 650-SB-BG1 (2-3 FT) (laboratory duplicate) 650-SB-BG2 (2-3 FT) (background sample)	3/26/2009 3/26/2009 3/26/2009	34.70 31.70	24.10 29.20	2.29 0.876 2.26 0.880 1.99	1.34 1.37 1.19	1.24 1.26 1.13	1.51	1.22 1.4 0.900 1.4 0.933 1.3	1.48	0.498 0.481 0.430	0.144 0.139 0.124	0.413 0.339 0.316	ND ND ND	20.7 21.9 20.0	0.121 0.0616 0.0295	1.34 1.51 1.38	1.21 1.29 1.10	1.24 1.17 1.10	0.771	0.0456 0. 0.0454 0. 0.0177 0.	.741
Mean Background Concentration	-	34.68	28.65	0.632 2.16	1.30	1.23 2.00	1.16	0.904 1.	14 1.13	0.377	0.135	0.299		19.6	0.0533	1.16	0.95	0.98	0.649	0.0355 0.	.669

Notes:

Notes:
All results are in picoCuries per gram
Shaded cell indicates radium-226 concentrations that exceed the estimated time-critical removal action of 7.16 pCi/g

1 Analytical method: NAREL GR-03 (gross alpha/beta)

2 Analytical method: NAREL GAM-01 (gamma spectrometry)

3 Analytical method: NAREL U-EICHROM (extraction chromatography)

4 Analytical method: NAREL TH-EICHROM (extraction chromatography)

5 Laboratory qualifier indication the result may be significantly under or over estimated

Laboratory qualifier indicating the result may be significantly under or over estimated No analysis performed or results not reported for this element

ND Element not detected at or above the minimum detectable concentration

Elements:

Bi Bismuth
Cs Cesium
K Potassiur
Pb Lead
Ra Radium
Th Thorium
Ti Thallium

Potassium

Thallium

U Uranium

TABLE 3

LABORATORY RESULTS FOR SOIL SAMPLES COLLECTED FROM 920 S. ST. FRANCIS STREET PARCEL RADIATION - STANDARD PRODUCTS, INC. (FORMER), WICHITA, KANSAS

Sample Name	Date Collected	Radium-226 ¹ (pCi/g)
920-01 (0 - 6")	5/5/2009	11.3
920-01 (6 - 12")	5/5/2009	52.4
920-02 (0 - 6")	5/5/2009	495
920-02 (6 - 12")	5/5/2009	271

Notes:

Bold indicates radium-226 concentrations that exceed the estimated time-critical removal action of 7.16 pCi/g

pCi/g picoCuries per gram

¹ Analytical method: Bismuth Ingrowth/Gamma Spectrometry

APPENDIX C FIELD LOGBOOK

KS1007



ALL-WEATHER LEVEL No. 311

Radiation - Standard Products

1 2		3
3/23/09	Standard Products	3/23/09 Standard Products
	Arrive of Standard Products 242.	START Stops surveying and begins to
	Corduct tailgate safety meeting	show down for the day.
1459	Collect background 1-min scolar	MSO EPA and START crews is an are given
<u> </u>	reading of NE corner of St. Fonces a	whole Lody grisks using the pancake
	Gilbert St. count is 10096 cpm	probe-
<u> </u>	37.67470 -97.33147	1800 START and EPA depart Standard Products
15 ₀ 3	2" background count in Front &	ste START Will prepare a preliminary
<u> </u>	Guadalahara Center is 15834 cpm	Survey map at the hotel.
	37.67495, -97.33/57.	
1505	3rd count is of Min corner of	
	Guadalahara Carrier. 15761 cpm	
	37.67516, -97.33141.	
	START Members onsite are hos Monning	
	and Colin Willets.	
1530	START begins to conduct a surface	
Ĭ	Soil survey for gamma activity using	
5	a Ludium 2821 ratemater with a 3x3	3,
	NOT probe connected to the RAT	
	System. The Survey was started at	
	the Southwest corner of the property.	
	Oata from the survey is logged	
	electronically of the RAT system.	
1730	STACT has continued to survey	
	surface soil for game activity	
£		

e.

<u> </u>		5
3/24	109 Standard Products	3/24/69 Standard Products
0730	Arrive at 5.te.	System with the 323 detector.
□ :	Conduct Safety trilgate meeting	CHERM R. Monning begins to scan
0751	Collect background reading # of	areas ideal: fad by the FAT system
	some location as yesterday 16339 cpm.	yesterday using Ludlam 2×2 (#649).
	Background Location # 2 is 16,005 cpm.	At each elevated area, R. Monning
	Background Loration # 3:5 15/100 cpm	marks the boundary the exibits 17.1 kcpm
0845	STM Willis has been conducting	(which represents 1.5 times background).
	additional transects using the 2224 with	1430 START Continues to run RAT
	3×3 defector.	system and mark elevated areas.
0450		1830 START has continued to use the
	Model 224 With 44-10 detector	RAT System. START and EPA
	(Instrument (D # 1049) to Further delineate	prepare to leave site.
	elevated areas.	
0855		
	with Instrument # 649 at the background	
	locations,	
A SA COLUMN TO A SA COLUMN TAXABLE VARIABLES	Background #1 11,503 cpm	
	Background #2 11,403 cpm	
	Background #3 11, 264 cpm.	P. L.
	Average 11,390 com	90
	2x Average 22,780 cpm	
# ·	3x Average 34, 176 cpm	
0915	START begins to cordat surface	
	gamma survey using the RAT	
	0	

6 3 25 0	9 Standard Products	3/25/	> 9	Standard	fraducts		7
0736	Conduct safety needing at hold.		maxim h	1 points	with the	Ludlum	2241
6745	Depart hatel to pick up supplies.		and 42	1-10 (10	4 (49).	Coffee	~
0845	Stop at Standard frecision to dray of		colin	willik h	as regive	d at 5!	andard
	some marking paint.	and Processing agreement and the Springer or States of the Appendix and the Springer of the Sp	Product				
0855	Arrie at Standard Products.	1700	R. Mo	nnia_and	. c. w	illits lea	re the
0915	Collect I minute scalar readings of		Stla	Maps no	12 ye R	AT Vala	wil_
	background locations for instrument to 649.	The same of the Assessment and the same of			for Note		
	Bashage and Location # 1 11,056 cpm.	Add ATTS Annial AND PROPERTY AND A TOTAL PROPERTY.					
	Brigground Location #2 11,418 cpm.	or 1 to 100 members of these and the second of the second					a de como como mon mon esta esta esta esta en e
	Buckground Location #3 10,993 cpm	A 1000 1000 1000 1000 1000 1000 1000 10			, .		
6930	R. Monning continues to delineate hot		\.			,,	
-	Greas using the Ludlum 2241/44-10 probu	\$1000 MT				Market and the second s	
	(Instrument of 649) to find areas	AND NATIONAL PROPERTY OF THE PARTY OF THE PA					A COLUMN CARACTER WAS AND A COLUMN CO
	exceeding 1.5 x buckground (~17 kepm).	and the second s					An and the second secon
1030	Don Lininger OSC and Jeremy are						and the control and the second of the control of th
	surveying the contours. R. Monnig	amont aggression and a control of the control of th		77			
	continues to delineate the hot spots.			0,			
1300	Track probe has arrived and is setting	The second state of the se		/			
	up for borongs.						
1400	R. Manning is locating the maximum			manager or an analysis of the Control of the Contro		1	
	rediction reading of each of fu	PARE OF MANAGER BY THE OWNER WHEN THE PARENT				. "	
111111111111111111111111111111111111111	elevated areas. EPA has begun						
	probing the elevated areas.	no					
1600	R. Monning has continued to locate	and Address and another than the second					
	O						
				egy opphility property from payment and once	n hannyy w parency mega pela jim ng pangya ni Majiyi Mag	p.p.odpitticopy with rich (Alberton power)	Photographic Age Age Company Little Amount Company

8			et from ma	0/		9
3/26	109 Standard Products		1100			
0745	Arrive at Standard Products Site.	***************************************		J.51 CV		
6755			711			
0820	Collect Lackground readings with	44 manuful (1900	6.51.	2.41 ·		
	Instrument \$565.		5.11.	a:h1 •		
	Buckgrand Location #1 16,090 cpm.					
	Background Location # 1 15,722 cpm.		(1)	521,		
Name and a second secon	Background Location #3 15, 402 cpm		L:2/ •	h.h/ *	_{_	
0845	Colin Willite is using RAT system to	<u> </u>			w w	-
200 20 20 20 20 20 20 20 20 20 20 20 20	survey some of the areas bondering the	on the	5.51.	1.111	٦	
***************************************	Standard Products Site:	エ			· 55	
0900	R. Monning collecty background readings	3	40/-	5:41	ξ.	
	asing the Ludlum 2241/ unt-10 (# 649)					
The second secon	Background Location # 1 11,635 cpm	Som	9.//,	9.51.	<u>}</u>	
	Background Cocation # 2 11,293 cpm				F .	
	Budgand Cocalion # 3 11,020 cpm		۶٬۱٬ ۰	p.E1.		
0905	R. Manning collects readings with Ludlum					
	instrument & 649 at personator of		6:11.	8.51.	. ,	
	Coadalupe Center (see next lage)					
0926	R- Monning Surveys South wall				351	74-5
7	and finds a similar pattern of readings	N				- kj.
	as the west wall with readings of			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	, · · · · · · · · · · · · · · · · · · ·	· = •
	~14 to 15 cpm with detector le inches above		·o:	, 0,	V	ļ
	ground and I feet from wall. Leadings		V			01. W
	drop to bodygound (411 to 12 cpm)					¥

11 3/24/09 Standard Aroducts Standard froducts A. Monnig Surveys north side of building. R. Monnig seans east side if 0935 All readings are 11.4 .11.2 11.8 12.5 Brick with .11.9 Chainlink Gence .12.2 . 11.0 R. Monning holds defector 5 feet of the ground and 2 feet from the brick walls. Readings against wall are sfeet above ground and away ren from structures the reading is maken East Cillart

12					el 1 i	0- 1 k.		13
3	120/09 Standard Products		3/212/09		Mandard	A I	1	
	9 kepm				Standard			
104	R. Monnig and C- Willits colle				Guadoly	L.	í	1
	scalor points on south side of G. C	center with 44-20			12, 110,			
		728 counts			14 44-10			
		1668 counts		Jarsen	mler:or	of hom	e. Unck	Jor Ug
	37. 67 474, - 97. 33111 16,9	183 counts		in the	house is	4.0 +	13 kep	M
1	37.67 475, - 97.33/13 17,2	276 counts			wall of			
7777		713 Counts		reading	s up to	so ke	pm. This	
	37.67470, -97.33122 15,6	163 counts		realing	appears	to se	associated	nild
		537 counts		an ele	vated a-	a in go	way area	outsite
	37. 67476, - 97.33129 14,9	990 counts		of the h	onst.	Chnek No	bru will	epa .
		992 count	VANVALUE TO THE PART OF THE PA	discuss	ed the	findings	with the	
		996 count		home o				
		105 wants	1515	Chuck	llooper	and R.	Monnig	leave
		320 counts		residen	re.			
1100	R. Monnia collects six surface	ce_50;1						
	Sample. Sample collection i	<i>nformation</i>						
	was logged in ose Don Links							
300	Break for lunch.	0			4			
1400	Roburn from lanch. Colin Wi	llits goes			3			
•	with Jaramay to survey Lo				(6)	Re-		
	ages to Standard Precision to				98	1		
	Surveying.							***************************************
1445	R. Monning and Chuck Hooper	gato residence						
		u		****		***************************************		

•

4/14/0	9 Standard Products	4/14/09		Standard			
o730	R. Monnig meets Megan Brunkhorst	160	Micro R	Meter v	sed was	Unof 1	33
	at the EPA cares.		Bump	heck wit	h C3-1.	37 /op	t.
0680	Leave For Wichida KS		Source	reads ~	1,900 MA	2/hr. Chec	k
1615			WAS CO	adacted in	EPA W	archouse.	•
	Serial Number Volts						
	Zero						
<u> </u>	RE 3352 250					i i i	
	RE 3507 200						
	SE U339 683						
	- SOK324 688				•		
	- SOH 639 671		,	4	1		
	- SE 0 464						
	-SDH 570 . 678			the state of the s	7		
	SEU 32 5 683			1/4			
1115	Solup SDH 636 and SEUS25 in residence.			0	2		W
1125	Selup SE U339 and SOHS70 in lunch room.				117		
	These are being setup in some location,						
	Mero R making . 3 /4 por / hr.					<u> </u>	
1134	Schop SEU 4164 and SOK324 of nursus						
	station. MicroR reading is 9 MR/hr.						
	The MisroR reading in the resulence					<u> </u>	and the second s
	was 12 MR/Ar.	Management of the second of th				AAAA 10 10 10 10 10 10 10 10 10 10 10 10 10	\
1/45	Leave Gua Ealure Center.		<u> </u>				
1600	Arrive at EPA worehouse.						<u> \</u>

16									17
4/21/0	i Standard P	roducts	y	5/5/09	5 +c	migers of 6	roducts		
0830	Depart for Wichila	. 1	Ms.	~ 0 430	Randy	Schaden	ou and	_R&_M	ing
1142	Acrive of Guadalupe	, ,		,	have fr	rieled to	withit	a to mee	t with
1142	Collect E-PERM.	From 920 St.	Ferencis		Standard	Products	owners	~d Mr.	019wi
	St. E-PERMS have					sproks wil			
	resident to the side	1 A .1	1	0900		of dso.			
	not home.				Mr. Cu	12000 M	love a or	d School	eman.
(144	Pick up 50K324.	~ SEU4164		entered Management (1975) and the company of the co	1100 Ilia	et_50:1_50	mples.	-	
	From Nurses Station			0920	Monnig	is Usin	g the 2	2 10/00	ate
	Health center.			*	Sampling	points.	Instrumen	1 10 = (549
1151	Pick up SEU464	and 50K324.		and the second s	Check 3	source = d	32 hcpm.	Calibrati	nulue.
	Scom Gundalupe C	afetera.			is 231 k	ipm. Inst	chutuj : s	Funchining	brobach.
1212	Measure Final read			and the second s	Backgr	ound (wil	h detector	g in the	susday ?
	Serial Number	Volts_			deonny) is 9-	11 Kepm.	, ,	
	SEU464	524		0935	Collect	sample	920-	01 0-6	hrom
	SDH 638	615		and the second s	Flower	bed at 1	omh east	corner	et /ot,
	SE V 325	620		0945	Collect	sample	420-01	6-12"	from
	SE U339	654			JAML	location.	Ludlum	2x2 r	aving
	SDH57b	. હ 44	.,		((inch	s alove	ground)	is 30	cepm.
	SOK324	662		0955	Collect	sample	920-0	0-6	tram.
	RE 3352	. 251				bad alon	1 Norther	nmest v	fall of
	RE3507	261		, i	house		04 - 4	11	C .
	Zero	0		10 05	Collect	sample	120-02	6-17	7000
1245	Headed Sack to Konsa	s Citys	*		!	location.	Ludium	TAY LAVA	ng
			,		is 30	8 kupm.			
	4/21/0	9	:		,				

18											19
5/5/09		Standar	d fraduc	.	4						
1070	Lene.	./.	1.0000								
<i>10 20</i>	L'ence	174.		***						447	,
<u> </u>									- A-4/11 -		
									MANAGEMENT CONTRACTOR		
							447				
					The state of the s						
							441				

	<u> </u>		, <u></u>								
		<u> </u>									
	1										
				Front day 100 - 1 100 100 100 100 100 100 100 100					***************************************		
		1				1					
		\(\sigma\)	1								
			N	***************************************							
			1/18						and the second section of the section of t		
				\							ļ. <u>.</u>
				<u> </u>							
						`		.,,			
				/							
					\						
					\						
	And the second s										
				d d d d						•	
					\.						

APPENDIX D PHOTOGRAPHIC LOG

Radiation – Standard Products, Inc. (Former) Wichita, Kansas



TETRA TECH PROJECT NO.	DESCRIPTION	This photograph shows Tetra Tech START personnel conducting a gamma survey over the 650 E. Gilbert Street parcel.	1
X9004.09.0131.000	CLIENT U.S. Environmental Protection Agency Region 7		Date
Direction: Northeast	PHOTOGRAPHER	Rob Monnig	3/24/2009



TETRA TECH PROJECT NO.	DESCRIPTION	This photograph shows EPA personnel advancing a soil boring with a Geoprobe® at the 650 E. Gilbert Street parcel.	2	
X9004.09.0131.000	CLIENT	U.S. Environmental Protection Agency Region 7	Date	
Direction: West	PHOTOGRAPHER	Randy Schademann	3/25/2009	

APPENDIX E LABORATORY ANALYTICAL REPORT



a member of The GEL Group INC



PO Box 30712 Charleston, SC 29417 2040 Savage Road Charleston, SC 29407

P 843.556.8171 F 843.766.1178

www.gel.com

June 01, 2009

Mr. Robert Monnig Tetra Tech EM Inc. 415 Oak Street Kansas City, Missouri 64106

Re: Standard Products -Ra226

Work Order: 229665

Dear Mr. Monnig:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on May 12, 2009. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4297.

Sincerely,

Amanda Rasco Project Manager

Purchase Order: 1048525

Enclosures

Page	
1)
10	
_	,
_	١

Page:of	GEL Ch	ain of	Cu	stody	y an	d A	na	lyt	ica	l R	equ	est		- 1		oratorie age Roa		
Project #: GEL Quote #: 66669-0367	**5	See www.g	gel.com	n for GE	, EL's Sar	mple A	Accep	ptanc	e SO	P**	_					n, SC 2		,
GEL Quote #: COC Number (1):	GEL Work Order Nun	hom	7 -	ar	10											43) 556		
PO Number:	GEL WORK Order Nuit	iber:	00	96	<u> </u>									Fa	x: (843	766-1	178	
Client Name: 7 1 70ch Phone #: 816-412-1775 Sample Analysis Requested (5) (Fill in the number of containers for each test)																		
Project/Site Name: Radium - Sto		Fax #:				Should this	dered:	iners										< Preservative Type (6)
Address: Wichita KS						Shou	consi	Total number of containers	حہ		Spec							Comments
Collected by: O 1 \	Send Results To: COb.	Mondi	1.60	Limi	mas		Pg	er o	3	3	w							Note: extra sample is
Collected by: Robert Manning	*Date Collected	*Time) 	1		live	egulat	qun	4	7	Bank	ł	Ì					required for sample
Sample ID * For composites - indicate start and stop date	(mm dd.xxx)	Collected (Military) (hhmm)	QC Code (2)	Field Filtered ⁽³⁾	Sample Matrix (4)	Radioactive	FSCA Regulated	otal r	Radium-126	by Ingrowth	30			Ì				specific QC
	05/54/99	0935	~	No	20	-		1	X						\top			
	/- //		N	NO.	Sa		\neg	t										
920-01 6-12"		0945		1 700	 	\vdash			X					+	+	╅	1	
920-02 0-6"		0955	N	No	50	\vdash	_	1	×		$\overline{}$		_				1	
920-02 6-12"		/005	N	NO	٥٥			1	X			_		- -			1	
			<u> </u>	<u> </u>	<u> </u>							_	_	4			<u> </u>	
										1								
-,																		
TAT Requested; Normal: Rush:	Specify: (Subject to Surcha	irge) Fax Re	sults:	Yes	s /	N		С	ircle D	elivera	ıble: C	of A	/ QC	Summa	ıry /	Level 1	/ Lev	vel 2 / Level 3 / Level 4
Remarks: Are there any known hazards of	applicable to these sample	s? If so, pl	ease l	ist the h	azards													llection Time Zone Pacific
Insitu ganna reading with Ludlum 2×2 prote: 50-300 kcpM Eastern Pacific Central Other Mountain																		
Chain of Custody Signatures Sample Shipping and Delivery Details																		
Relinquished By (Signed) Date Ti	me Received by (s	igned)	Date	Time	,		GEL	PM:	A	Mar	nda	Ro	८८०					
5/11/09 1600 1 FodEx						Method of Shipment: Fed Ex Date Shipped: 5/11/09												
2	2 /2	AN	/	5/13/	27 /	24	Airbil											
	13	1 /	5	/12/0	19 08	242				-								
1) Chain of Custody Number = Client Determined For Lah Receiving Use Only																		
2.) QC Codes: N = Normal Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike Sample, MSD = Matrix Spike Duplicate Sample, G = Grab, C = Composite 3.) Field Filtered: For liquid matrices, indicate with a - Y - for yes the sample was field filtered or - N - for sample was not field filtered.																		
4.) Matrix Codes: DW=Drinking Water, GW=Groundwater, SW=Surface Water, WW=Waste Water, WL=Misc Liquid, SO=Soil, SD=Sediment, SL=Sludge, SS=Solid Waste, O=Oil, F=Filter, P=Wipe, U=Urine, F=Fecal, N=N VES NO 5.) Sample Analysis Requested: Analytical method requested (i.e. 8260B, 6010B/7470A) and number of containers provided for each (i.e. 8260B - 3, 6010B/7470A - 1).																		
26 C																		



SAMPLE RECEIPT & REVIEW FORM

Clien	t: TETR	-		SDG/ARCOC/Work Order: 229665									
	ived By: Ricky Albee			Date Received: 5/13/09									
Susp	ected Hazard Information	Yes	ž	*TEC									
COC/Samples marked as radioactive?				Maximum Counts Observed*: 4400 PM, "O. Sa Real ha									
Class	ified Radioactive II or III by RSO?		1										
COC	Samples marked containing PCBs?		/										
Shipp	ed as a DOT Hazardous?	V		Hazard Class Shipped: 7 UN#: Z910									
Samp	les identified as Foreign Soil?		ر										
	Sample Receipt Criteria	Yes	NA	S Comments/Qualifiers (Required for Non-Conforming Items)									
1	Shipping containers received intact and sealed?	1		Circle Applicable: seals broken darnaged container leaking container other (describe)									
2	Samples requiring cold preservation within $0 \le 6$ deg. C?		く	ice bags blue ice dry ice from other (describe)									
3	Chain of custody documents included with shipment?	/		•									
4	Sample containers intact and sealed?	/		Circle Applicable: seals broken damaged container leaking container other (describe)									
5	Samples requiring chemical preservation at proper pH?		/	Sample ID's, containers affected and observed pH: If Preservation added, Lot#:									
6	VOA vials free of headspace (defined as < 6mm bubble)?		/	Sample ID's and containers affected:									
7	Are Encore containers present?			(If yes, immediately deliver to Volatiles laboratory)									
8	Samples received within holding time?	/		Id's and tests affected:									
9	Sample ID's on COC match ID's on bottles?	~		Sample ID's and containers affected:									
10	Date & time on COC match date & time on bottles?	~		Sample ID's affected:									
11	Number of containers received match number indicated on COC?	1		Sample ID's affected:									
12	COC form is properly signed in relinquished/received sections?	V											
Comm	tedts 8682 98	' 84	,	4046									
	PM (or PMA) review: Initia Page 3 of 11	ls		RA Date									

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis Report for

TETR027 Tetra Tech Missouri Project Client SDG: 229665 GEL Work Order: 229665

The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a surrogate compound
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the Certificate of Analysis.

The designation ND, if present, appears in the result column when the analyte concentration is not detected above the detection limit.

This data report has been prepared and reviewed in accordance with GEL Laboratories LLC standard operating procedures. Please direct any questions to your Project Manager, Amanda Rasco.

Amon la Thoses
Reviewed by

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Report Date: June 1, 2009

TETR02701

TETR027

Project:

Client ID:

Certificate of Analysis

Company: Tetra Tech EM Inc.

Address: 415 Oak Street

Kansas City, Missouri 64106

Contact: Mr. Robert Monnig

Project: Standard Products -Ra226

Client Sample ID: 920–01 0–6" Sample ID: 229665001

Matrix: Soil

Collect Date: 05–MAY–09 09:35 Receive Date: 12–MAY–09

Collector: Client

Parameter Qualifier Result Uncertainty DL RL Units DF AnalystDate Time Batch Method

Rad Gamma Spec Analysis

Gamma, Ra226, Solid "Dry Weight Corrected"

Radium-226 11.3 +/-0.829 0.0695 0.500 pCi/g MJH1 05/25/09 1623 867489 1

The following Prep Methods were performed

MethodDescriptionAnalystDateTimePrep BatchDry Soil PrepDry Soil Prep GL-RAD-A-021CXC105/14/090833866847

The following Analytical Methods were performed

Method Description Analyst Comments

1 EML HASL 300, 4.5.2.3

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Report Date: June 1, 2009

TETR02701

TETR027

Project:

Client ID:

Certificate of Analysis

Company: Tetra Tech EM Inc.

Address: 415 Oak Street

Kansas City, Missouri 64106

Contact: Mr. Robert Monnig

Project: Standard Products -Ra226

Client Sample ID: 920–01 6–12"

Sample ID: Matrix:

229665002 Soil

Collect Date: Receive Date: 05-MAY-09 09:45 12-MAY-09

Collector: Client

Parameter Qualifier Result Uncertainty DL RL Units DF AnalystDate Time Batch Method

Rad Gamma Spec Analysis

Gamma, Ra226, Solid "Dry Weight Corrected"

Radium-226 52.4 +/-4.24 0.112 0.500 pCi/g MJH1 05/25/09 1623 867489 1

The following Prep Methods were performed

MethodDescriptionAnalystDateTimePrep BatchDry Soil PrepDry Soil Prep GL-RAD-A-021CXC105/14/090833866847

The following Analytical Methods were performed

Method Description Analyst Comments

1 EML HASL 300, 4.5.2.3

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Report Date: June 1, 2009

TETR02701

TETR027

Project:

Client ID:

Certificate of Analysis

Company: Tetra Tech EM Inc. Address: 415 Oak Street

uless. 413 Oak Street

Kansas City, Missouri 64106

Contact: Mr. Robert Monnig

Project: Standard Products -Ra226

Client Sample ID: 920–02 0–6" Sample ID: 229665003

Matrix: Soil

Collect Date: 05–MAY–09 09:55 Receive Date: 12–MAY–09

Collector: Client

Parameter Qualifier Result Uncertainty DL RL Units DF AnalystDate Time Batch Method

Rad Gamma Spec Analysis

Gamma, Ra226, Solid "Dry Weight Corrected"

Radium-226 495 +/-39.6 0.815 0.500 pCi/g MJH1 05/26/09 0632 867489 1

The following Prep Methods were performed

MethodDescriptionAnalystDateTimePrep BatchDry Soil PrepDry Soil Prep GL-RAD-A-021CXC105/14/090833866847

The following Analytical Methods were performed

Method Description Analyst Comments

1 EML HASL 300, 4.5.2.3

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company: Tetra Tech EM Inc.

Address: 415 Oak Street

Kansas City, Missouri 64106

Report Date: June 1, 2009
Contact: Mr. Robert Monnig

Project: Standard Products -Ra226

Client Sample ID: 920–02 6–12" Project: TETR02701 Sample ID: 229665004 Client ID: TETR027

Sample ID: 229665004 Client ID: TETR027 Matrix: Soil

Collect Date: 05–MAY–09 10:05 Receive Date: 12–MAY–09

Collector: Client

Parameter Qualifier Result Uncertainty DL RL Units DF AnalystDate Time Batch Method

Rad Gamma Spec Analysis

Gamma, Ra226, Solid "Dry Weight Corrected"

Radium-226 271 +/-21.3 0.614 0.500 pCi/g MJH1 05/26/09 0633 867489 1

The following Prep Methods were performed

MethodDescriptionAnalystDateTimePrep BatchDry Soil PrepDry Soil Prep GL-RAD-A-021CXC105/14/090833866847

The following Analytical Methods were performed

Method Description Analyst Comments

1 EML HASL 300, 4.5.2.3

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: June 1, 2009

Page 1 of 2

Tetra Tech EM Inc. 415 Oak Street Kansas City, Missouri

Contact: Mr. Robert Monnig

Workorder: 229665

Parmname	NOM	Sample Qual	QC	Units RP	PD% REC%	Range Anlst	Date Time
Rad Gamma Spec Batch 867489							
QC1201838946 229665001 DUP							
Radium-226		11.3	10.1	pCi/g	11.0	(0% - 20%) MJH1	05/26/09 06:36
		+/-0.829	+/-0.918				
QC1201838947 LCS							
Americium-241	16.3		14.6	pCi/g	89.5	(75%-125%)	05/26/09 06:40
			+/-1.09				
Cesium-137	5.79		6.42	pCi/g	111	(75%-125%)	
			+/-0.579				
Cobalt-60	7.22		7.66	pCi/g	106	(75%-125%)	
			+/-0.630				
Radium-226			0.950	pCi/g		(75%-125%)	
			+/-0.375	1 0			
QC1201838945 MB							
Radium-226		U	0.023	pCi/g			05/26/09 06:35
			+/-0.0701				

Notes:

The Qualifiers in this report are defined as follows:

- ** Analyte is a surrogate compound
- < Result is less than value reported
- > Result is greater than value reported
- A The TIC is a suspected aldol-condensation product
- B For General Chemistry and Organic analysis the target analyte was detected in the associated blank.
- BD Results are either below the MDC or tracer recovery is low
- C Analyte has been confirmed by GC/MS analysis
- D Results are reported from a diluted aliquot of the sample
- F Estimated Value
- H Analytical holding time was exceeded
- J Value is estimated
- M M if above MDC and less than LLD
- M Matrix Related Failure
- N/A RPD or %Recovery limits do not apply.
- ND Analyte concentration is not detected above the detection limit
- NJ Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- R Sample results are rejected
- U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 229665 Page 2 of 2

Parmname NOM Sample Qu	al QC Units RPD% REC	Range Anlst Date Time
------------------------	----------------------	------------------------------

- UI Gamma Spectroscopy--Uncertain identification
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Y QC Samples were not spiked with this compound
- RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL. Qualifier Not Applicable for Radiochemistry.
- h Preparation or preservation holding time was exceeded

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

List of current GEL Certifications as of 01 June 2009

State	Certification
Arizona	AZ0668
Arkansas	88-0651
CLIA	42D0904046
California – NELAP	01151CA
Colorado	GEL
Connecticut	PH-0169
Dept. of Navy	NFESC 413
EPA Region 5	WG-15J
Florida – NELAP	E87156
Georgia	E87156 (FL/NELAP)
Georgia DW	967
Hawaii	N/A
ISO 17025	2567.01
Idaho	SC00012
Illinois – NELAP	200029
Indiana	C-SC-01
Kansas – NELAP	E-10332
Kentucky	90129
Louisiana – NELAP	03046
Maryland	270
Massachusetts	M-SC012
Nevada	SC00012
New Jersey – NELAP	SC002
New Mexico	FL NELAP E87156
New York – NELAP	11501
North Carolina	233
North Carolina DW	45709
Oklahoma	9904
Pennsylvania – NELAP	68-00485
South Carolina	10120001/10120002
Tennessee	TN 02934
Texas – NELAP	T104704235-07B-TX
U.S. Dept. of Agriculture	S-52597
Utah – NELAP	GEL
Vermont	VT87156
Virginia	00151
Washington	C1641

REPORT OF SAMPLE DELIVERY GROUP #0900021

Project:

Region 7 - Kansas Radium Dial Site, Wichita, KS

Analysis Procedure:

Gamma Spectrometry

Report ID:

0900021-GAMMA

Report Type:
Date Reported:

Original 05/14/2009

Total Pages in Report:

SAMPLES

					
NAREL "		in in	1	Date	Date
Sample #	Client Sample ID	Type	Matrix	Collected	Received
A9.02906E	650-SB-BG1 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02907F	650-SB-BG2 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02908G	650-SB-7-2 (0-1 FT)	SAM	SOIL	03/26/2009	.04/02/2009
A9.02909H	650-SB-10-1 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02910A	650-SB-10-1 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02911B	650-SB-13-1 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02912C	650-SB-13-1 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02913D	650-SB-13-2 (0-3.5 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02914E	650-SB-13-2 (3.5-4 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02915F	650-SB-13-3 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02916G	650-SB-13-3 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02917H	650-SB-13-3 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02918J	650-SB-17-1 (0-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02919K	650-SB-17-1 (3-4 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02920C	650-SS-9-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02921D	650-SS-12-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02922E	650-SS-23-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02923F	650-SS-24-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02924G	650-SS-BGA	SAM	SOIL	03/26/2009	04/02/2009
A9.02925H	650-SS-BGB	SAM	soil	03/26/2009	04/02/2009

EXCEPTIONS

- 1. Packaging and Shipping No problems were observed.
- 2. Documentation No problems were observed.
- 3. Sample Preparation No problems were encountered.
- 4. Analysis No problems were encountered.
- 5. Holding Times All holding times were met.

QUALITY CONTROL

1. QC samples - All QC analysis results met NAREL acceptance criteria.

2. Instruments - Response and background checks for all instruments used in these analyses met NAREL acceptance criteria.

CERTIFICATION

I certify that this data report complies with the terms and conditions of the Quality Assurance Project Plan, except as noted above. Release of the data contained in this report has been authorized by the Director of the Center for Environmental Radioanalytical Laboratory Science and the NAREL Quality Assurance Manager, or their designees, as verified by the following signatures.

Quality Assurance Manager, NAREL

John G. Griggs, Ph.D.

Director, Center for Environmental Radioanalytical

Laboratory Science

GENERAL INFORMATION

SAMPLE TYPES

BLD.	Blind sample
FBK	Field blank
SAM	Normal sample

ANALYSIS QC TYPES

ANA	Normal analysis
DUP	Laboratory duplicate
LCS	Laboratory control sample (blank spike)
MS	Matrix spike
MSD	Matrix spike duplicate
RBK	Method blank

QUALITY INDICATORS

KPD	Relative Percent Difference	4	•	•	
%R	Percent Recovery		•		
Z	Number of standard deviation	s by which a QC	measurement diff	ers from the expec	ted value

EVALUATION OF QC ANALYSES

A method blank result is considered unacceptable if it is more than 3 standard deviations below zero or more than 3 standard deviations above a predetermined upper control limit. For some analyses NAREL has set the upper control limit at zero. For others the control limit is a small positive number.

NAREL evaluates the results of duplicate and spike analyses using "Z scores." A Z score is the number of standard deviations by which the QC result differs from its ideal value. The score is considered acceptable if its absolute value is not greater than 3.

The Z score for a spiked sample is computed by dividing the difference between the measured value and the target value by the combined standard uncertainty of the difference.

The Z score for a duplicate analysis is computed by dividing the difference between the two measured values by the combined standard uncertainty of the difference. When the precision of paired MS/MSD analyses is evaluated, the native sample activity is subtracted from each measured value and the net concentrations are then converted to total activities before the Z score is computed.

Each standard uncertainty used to compute a Z score includes an additional fixed term to represent sources of measurement error other than counting error. This additional term is not used in the evaluation of reagent blanks.

NAREL reports the "relative percent difference," or RPD, between duplicate results and the "percent recovery," or %R, for spiked analyses, but does not use these values for evaluation.

GENERAL INFORMATION (CONTINUED)

GAMMA ANALYSIS

The reporting format lists the gamma emitters in alphabetical order. The activity and 2-sigma uncertainty for radionuclides measured by gamma spectroscopy are reported only if the nuclide is detected. Nuclides that are not detected do not appear in the report, with the exception of Ba-140, Co-60, Cs-137, I-131, K-40, Ra-226 and Ra-228. If one of these seven nuclides is undetected, NAREL reports it as "Not Detected" or "ND", and provides a sample-specific estimate of the MDC.

Due to potential spectral interferences and other possible problems associated with the determination of the activity of certain radionuclides, the activities for Bi-214, Pb-214, Th-234, Pa-234m, Ra-226, Th-231, and U-235 are subject to greater possible uncertainty than other commonly reported radionuclides. It should be noted that this potential uncertainty is not included in the two-sigma counting uncertainty which is reported with each activity. Although in this report we do provide the calculated activities for these radionuclides, we recommend that the results be used only as a qualitative means of indicating the presence of these radionuclides and not as a quantitative measure of their concentration. The results for these nuclides are not used in the evaluation of quality control samples. Furthermore, because of mutual interference between Ra-226 and U-235, NAREL's gamma analysis software tends to overestimate the amounts of these nuclides whenever both are present in a sample. Lower estimates for Ra-226 activities can be obtained from the reported activities of its decay products, Pb-214 and Bi-214, which are likely to be somewhat less than the Ra-226 activity because of the potential escape of radon gas.

NAREL's gamma spectroscopy software corrects activities and MDCs for decay between collection and analysis, but only up to a limit of ten half-lives. So, if the decay time for a sample is more than ten half-lives of a radionuclide, that nuclide will almost always be undetected and the reported MDC will be meaningless. This is usually a problem only for short-lived radionuclides, such as I-131 and Ba-140, when there is a long delay between collection and analysis.

SDG #0900021

ANALYSIS SUMMARY

Analysis Procedure:

NAREL GAM-01 Gamma Spectrometry

Title:

	QC		Date	Assay	QC
NAREL Sample #	Туре	Preparation Procedure	Completed	Batch #	Batch #
A9.02906E		N/A	05/05/2009	0013224J	0005750W
A9.02906E	DUP	N/A	05/06/2009	0013224J	0005750W
A9.02907F		N/A	05/05/2009	0013224J	0005750W
A9.02908G		N/A	05/05/2009	0013224J	0005750W
А9.02909Н		N/A	05/04/2009	0013224J	0005750W
A9.02910A	·	N/A	05/05/2009	0013224J	0005750W
A9.02911B		N/A	05/05/2009	0013224J	0005750W
A9.02912C		N/A	05/07/2009	0013224J	0005750W
A9.02913D		N/A	05/13/2009	0013224J	0005750W
A9.02914E		N/A	05/13/2009	0013224J	0005750W
A9.02915F		N/A	05/13/2009	0013224J	0005750W
A9.02916G		N/A	05/13/2009	0013224J	0005750W
A9.02917H		N/A	05/05/2009	0013224J	0005750W
A9.02918J	ļ	N/A	05/13/2009	0013224J	0005750W
A9.02919K		N/A	05/05/2009	0013224J	0005750W
A9.02920C		N/A	05/05/2009	0013224J	0005750W
A9.02921D		N/A	05/06/2009	0013224J	0005750W
A9.02922E		N/A	05/14/2009	0013224J	0005750W
A9.02923F		N/A	05/13/2009	0013224J	0005750W
A9.02924G		N/A	05/05/2009	0013224J	0005750W
A9.02925H		N/A	05/14/2009	0013224J	0005750W
LCS-00559857U *	LCS	N/A	05/14/2009	0013224J	0005750W
RBK-00559856T *	RBK	N/A	05/14/2009	0013224J	0005750W

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

PREPARATION METHOD(S) USED

Procedure ID	Title		

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02906E

OC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

Comment:

SAM

Assay batch #: Prep procedure: 0013224J N/A

Amount analyzed:

4.190e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:
Ash/dry weight:

82.52 % 95.20 % Analyst: QC type:

RCL ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE01	RCL

	Analyte		Activity	± 2 σ Uncertainty	MDC	Unit	Date
	Ba140		ND		7.9e-01	PCI/GDRY	03/26/2009
	Bi212		1.40e+00	2.4e-01		PCI/GDRY	03/26/2009
	Bi214	*	.1.24e+00	1.5e-01		PCI/GDRY	03/26/2009
	Co60		ND		3.5e-02	PCI/GDRY	03/26/2009
	Cs137		ND	,	3.1e-02	PCI/GDRY	03/26/2009
	I131		ND	, i	6.6e-01	PCI/GDRY	03/26/2009
	K40		2.07e+01	2.4e+00		PCI/GDRY	03/26/2009
	Pb212		1.49e+00	1.8e-01		PCI/GDRY	03/26/2009
'	Pb214	*	1.34e+00	1.6e-01		PCI/GDRY	03/26/2009
	Ra223	*	4.13e-01	8.3e-02		PCI/GDRY	03/26/2009
	Ra224		1.22e+00	3.6e-01	,	PCI/GDRY	03/26/2009
	Ra226	*	2.29e+00	4.0e-01		PCI/GDRY	03/26/2009
	Ra228		1.45e+00	1.8e-01	,	PCI/GDRY	03/26/2009
1.	T1208		4.98e-01	6.1e-02		PCI/GDRY	03/26/2009
	U235	*	1.44e-01	2.5e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02906E

OC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

4.190e+02 GDRY 82.52 % Analysis procedure:

NAREL GAM-01

Ash/dry weight:

82.52 % 95.20 % Analyst: QC type: RCL DUP

Sample description: Comment:

N/A N/A

COUNTING INFORMATION

	Date and time	Duration (min)	Detector ID	Operator
- [05/05/2009 16:23	1000.0	GE06	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		6.3e-01	PCI/GDRY	03/26/2009
Bi212	1.48e+00	2.2e-01		PCI/GDRY	03/26/2009
Bi214 *	1.26e+00	1.5e-01		PCI/GDRY	03/26/2009
Co60	ND		2.8e-02	PCI/GDRY	03/26/2009
Cs137	ND		2.4e-02	PCI/GDRY	03/26/2009
I131	ND		6.3e-01	PCI/GDRY	03/26/2009
. K40	2.19e+01	2.5e+00		PCI/GDRY	03/26/2009
Pb212	1.44e+00	1.7e-01		PCI/GDRY	03/26/2009
Pb214 *	1.37e+00	1.6e-01		PCI/GDRY	03/26/2009
Ra223 *	3.39e-01	6.8e-02		PCI/GDRY	03/26/2009
Ra224	9.00e-01	3.0e-01	,	PCI/GDRY	03/26/2009
Ra226 *	2.26e+00	3.7e-01	,	PCI/GDRY	03/26/2009
Ra228	1.51e+00	1.8e-01		PCI/GDRY	03/26/2009
Th234 *	8.76e-01	2.3e-01		PCI/GDRY	03/26/2009
T1208	4.81e-01	5.9e-02	•	PCI/GDRY	03/26/2009
U235 *	1.39e-01	2.3e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02907F

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

4.830e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:

84.22 % 95.60 % Analyst:

RCL

Ash/dry weight:

N/A

Sample description: Comment:

N/A

QC type:

ANA

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE06	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND .		5.3e-01	PCI/GDRY	03/26/2009
Bi212	1.30e+00	2.1e-01		PCI/GDRY	03/26/2009
Bi214 *	1.13e+00	1.3e-01		PCI/GDRY	03/26/2009
Co60	ND		2.5e-02	PCI/GDRY	03/26/2009
Cs137	ND		2.1e-02	PCI/GDRY	03/26/2009
I131	ND		4.9e-01	PCI/GDRY	03/26/2009
K40	2.00e+01	2.3e+00		PCI/GDRY	03/26/2009
Pb212	1.31e+00	1.5e-01	-	PCI/GDRY	03/26/2009
Pb214 *	1.19e+00	1.4e-01		PCI/GDRY	03/26/2009
Ra223 *	3.16e-01	6.3e-02		PCI/GDRY	03/26/2009
Ra224	9.33e-01	2.8e-01		PCI/GDRY	03/26/2009
Ra226 *	1.99e+00	3.3e-01		PCI/GDRY	03/26/2009
Ra228	1.33e+00	1.6e-01		PCI/GDRY	03/26/2009
Th234 *	8.80e-01	2.4e-01		PCI/GDRY	03/26/2009
T1208	4.30e-01	5.2e-02	•	PCI/GDRY	03/26/2009
U235 *	1.24e-01	2.0e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02908G

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

0013224J N/A

Amount analyzed:

2.880e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:
Ash/dry weight:

93.71 % 92.40 % Analyst: QC type:

RCL ANA

Sample description:
Comment:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:06	500.0	GE13	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		1.2e+00	PCI/GDRY	03/26/2009
Bi212	6.01e-01	2.8e-01		PCI/GDRY	03/26/2009
Bi214 *	9.14e+00	1.1e+00	٠.	PCI/GDRY	03/26/2009
Co60	ND		4.4e-02	PCI/GDRY	03/26/2009
Cs137	9.73e-02	2.6e-02		PCI/GDRY	03/26/2009
I131	ND		1.1e+00	PCI/GDRY	03/26/2009
K40	1.23e+01	1.5e+00		PCI/GDRY	03/26/2009
Pb212	5.49e-01	8.4e-02		PCI/GDRY	03/26/2009
Pb214 *	9.82e+00	1.1e+00		PCI/GDRY	03/26/2009
Ra223 *	1.76e-01	1.5e-01	· :	PCI/GDRY	03/26/2009
Ra224	8.16e-01	6.6e-01		PCI/GDRY	03/26/2009
Ra226 *	1.33e+01	1.6e+00		PCI/GDRY	03/26/2009
Ra228	5.35e-01	8.9e-02		PCI/GDRY	03/26/2009
T1208	1.76e-01	3.2e-02		PCI/GDRY	03/26/2009
U235 *	8.35e-01	1.0e-01		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02909H

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

Comment:

SAM 5.900e+02 GDRY Prep procedure:

N/A

Amount analyzed:
Dry/wet weight:

91.62 %

Analysis procedure:

NAREL GAM-01

Dry/wet weight:
Ash/dry weight:

91.62 \ N/A Analyst: QC type: RCL ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 12:09	300.0	GE14	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		7.9e-01	PCI/GDRY	03/26/2009
Bi212	8.18e-01	1.8e-01		PCI/GDRY	03/26/2009
Bi214 *	4.90e+00	5.7e-01		PCI/GDRY	03/26/2009
Co60	ND		2.8e-02	PCI/GDRY	03/26/2009.
Cs137	1.37e-02	9.8e-03		PCI/GDRY	03/26/2009
I131	ND	1	7.9e-01	PCI/GDRY	03/26/2009
K40	2.10e+01	2.4e+00		PCI/GDRY	03/26/2009
Pb212	7.12e-01	8.9e-02		PCI/GDRY	03/26/2009
Pb214 *	5.28e+00	6.1e-01		PCI/GDRY	03/26/2009
Ra223 *	9.41e-02	9.1e-02		PCI/GDRY	03/26/2009
Ra224	4.40e-01	3.9e-01		PCI/GDRY	03/26/2009
Ra226 *	6.89e+00	8.9e-01		PCI/GDRY	03/26/2009
Ra228	7.46e-01	9.7e-02		PCI/GDRY	03/26/2009
T1208	2.29e-01	3.1e-02		PCI/GDRY	03/26/2009
U235 *	4.32e-01	5.6e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02910A

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

5.020e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:
Ash/dry weight:

87.59 % N/A Analyst: QC type:

RCL ANA

Sample description:
Comment:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE07	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		5.6e-01	PCI/GDRY	03/26/2009
Bi212	1.07e+00	2.0e-01		PCI/GDRY	03/26/2009
Bi214 *	1.12e+00	1.3e-01	•	PCI/GDRY	03/26/2009
Co60	ND		2.5e-02	PCI/GDRY	03/26/2009
Cs137	2.23e-02	1.0e-02		PCI/GDRY	03/26/2009
I131	ND		5.4e-01	PCI/GDRY	03/26/2009
K40	1.85e+01	2.2e+00		PCI/GDRY	03/26/2009
Pb212	1.05e+00	1.2e-01	,	PCI/GDRY	03/26/2009
Pb214 *	1.17e+00	1.4e-01		PCI/GDRY	03/26/2009
Ra223 *	2.38e-01	5.7e-02		PCI/GDRY	03/26/2009
Ra224	5.32e-01	2.8e-01	·	PCI/GDRY	03/26/2009
Ra226	ND	•	3.8e-01	PCI/GDRY	03/26/2009
Ra228	1.07e+00	1.3e-01		PCI/GDRY	03/26/2009
Th234 *	1.21e+00	2.4e-01		PCI/GDRY	03/26/2009
T1208	3.49e-01	4.3e-02		PCI/GDRY	03/26/2009
U235 *	1.12e-01	2.0e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #: Matrix:

Sample type:

A9.02911B

SOIL

SAM

Amount analyzed: Dry/wet weight:

Ash/dry weight: Sample description:

Comment:

3.860e+02 GDRY 89.17 %

N/A

N/A N/A QC batch #:

Assay batch #:

Prep procedure: Analysis procedure:

Analyst: QC type: 0005750W

0013224J N/A

NAREL GAM-01

RCL ANA

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE09	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		1.3e+00	PCI/GDRY	03/26/2009
Bi212	6.56e-01	2.5e-01	,	PCI/GDRY	03/26/2009
Bi214 *	1.43e+01	1.6e+00		PCI/GDRY	03/26/2009
Co60	ND		5.0e-02	PCI/GDRY	03/26/2009
Cs137	5.29e-02	2.4e-02	**	PCI/GDRY	03/26/2009
I131	ND		1.3e+00	PCI/GDRY	03/26/2009
K40	1.16e+01	1.4e+00		PCI/GDRY	03/26/2009
Pb212	6.73e-01	9.0e-02		PCI/GDRY	03/26/2009
Pb214 *	1.53e+01	1.8e+00		PCI/GDRY	03/26/2009
Ra223 *	3.95e-01	1.7e-01		PCI/GDRY	03/26/2009
Ra224	1.59e+00	5.9e-01	•	PCI/GDRY	03/26/2009
Ra226 *	2.04e+01	2.4e+00		PCI/GDRY	03/26/2009
Ra228	6.37e-01	9.9e-02		PCI/GDRY	03/26/2009
Th234 *	1.30e+00	3.5e-01		PCI/GDRY	03/26/2009
Tl208	2.26e-01	3.5e-02		PCI/GDRY	03/26/2009
U235 *	1.24e+00	1.5e-01		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02912C

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.230e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:

84.37 %

Analyst: QC type:

RCL ANA

Ash/dry weight:

N/A N/A

Sample description: Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/06/2009 15:48	1000.0	GE08	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		1.2e+00	PCI/GDRY	03/26/2009
Bi212	1.11e+00	2.7e-01		PCI/GDRY	03/26/2009
Bi214 *	4.87e+00	5.7e-01	,	PCI/GDRY	03/26/2009
Co60	ND		5.4e-02	PCI/GDRY	03/26/2009
Cs137	ND		3.9e-02	PCI/GDRY	03/26/2009
I131	ND		1.1e+00	PCI/GDRY	03/26/2009
K40	7.85e+00	9.9e-01		PCI/GDRY	03/26/2009
Pb210 *	4.17e+00	6.3e-01		PCI/GDRY	03/26/2009
Pb212	9.04e-01	1.1e-01		PCI/GDRY	03/26/2009
Pb214 *	5.13e+00	5.9e-01	•	PCI/GDRY	03/26/2009
Ra223 *	4.90e-01	1.1e-01		PCI/GDRY	03/26/2009
Ra224	1.01e+00	4.8e-01		PCI/GDRY	03/26/2009
Ra226 *	5.14e+00	7.4e-01		PCI/GDRY	03/26/2009
Ra228	8.78e-01	1.3e-01		PCI/GDRY	03/26/2009
Th227	2.36e-01	9.9e-02		PCI/GDRY	03/26/2009
Th234 *	3.78e+00	4.9e-01		PCI/GDRY	03/26/2009
T1208	3.06e-01	4.4e-02		PCI/GDRY	03/26/2009
U235 *	2.45e-01	3.9e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02913D

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

Comment:

SAM

Prep procedure:

N/A

Amount analyzed:

2.180e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:
Ash/dry weight:

84.24 % 94.80 % Analyst: QC type: RCL ANA

Sample description:

N/A N/A

IN/A.

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator	
05/13/2009 13:20	100.0	GE08	RCL	

Analyte		Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140		ND		2.7e+01	PCI/GDRY	03/26/2009
Bi214	*	2.41e+02	2.8e+01	•	PCI/GDRY	03/26/2009
Co60		ND .		8.3e-01	PCI/GDRY	03/26/2009
Cs137		ND		7.6e-01	PCI/GDRY	03/26/2009
I131		ND		3.3e+01	PCI/GDRY	03/26/2009
K40		1.58e+01	4.1e+00		PCI/GDRY	03/26/2009
Pb210	*	1.60e+02	1.9e+01		PCI/GDRY	03/26/2009
Pb212		8.05e-01	4.6e-01		PCI/GDRY	03/26/2009
Pb214	*	2.47e+02	2.8e+01		PCI/GDRY	03/26/2009
Ra224		1.61e+01	8.1e+00	•	PCI/GDRY	03/26/2009
Ra226	*	3.02e+02	3.6e+01		PCI/GDRY	03/26/2009
Ra228		ND		5.4e+00	PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02914E

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

1.690e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight: Ash/dry weight:

76.22 % 94.80 % Analyst: QC type: RCL · ANA

N/A

Sample description: Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 14:59	100.0	GE13	RCL

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		3.6e+00	PCI/GDRY	03/26/2009
Bi212	1.63e+00	5.8e-01		PCI/GDRY	03/26/2009
Bi214 *	1.04e+00	1.6e-01		PCI/GDRY	03/26/2009
Co60	ND	· , ·	6.1e-02	PCI/GDRY	03/26/2009
Cs137	ND		9.5e-02	PCI/GDRY	03/26/2009
I131	ND	,	4.3e+00	PCI/GDRY	03/26/2009
K40	1.89e+01	2.5e+00	<i></i>	PCI/GDRY	03/26/2009
Pb212	1.52e+00	2.1e-01		PCI/GDRY	03/26/2009
Pb214 *	1.29e+00	1.8e-01	• •	PCI/GDRY	03/26/2009
Ra226 *	1.70e+00	9.5e-01		PCI/GDRY	03/26/2009
Ra228	1.51e+00	2.3e-01		PCI/GDRY	03/26/2009
T1208	4.89e-01	8.0e-02		PCI/GDRY	03/26/2009
U235 *	1.07e-01	6.0e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02915F

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

1.670e+02 GDRY 86.33 %

Analysis procedure: Analyst: QC type:

NAREL GAM-01 RCL ANA

Ash/dry weight: Sample description:

92.40 % N/A

Comment:

N/A

COUNTING INFORMATION

Date	and time	Duration (min)	Detector ID	Operator	
05/13/	2009 16:41	100.0	GE13	RCL	

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140	ND	•	1.6e+01	PCI/GDRY	03/26/2009
Bi214 *	1.33e+02	1.5e+01		PCI/GDRY	03/26/2009
Co60	ND		4.0e-01	PCI/GDRY	03/26/2009
Cs137	, ND		4.1e-01	PCI/GDRY	03/26/2009
I131	ND		. 1.9e+01	PCI/GDRY	03/26/2009
K40	1.16e+01	2.3e+00		PCI/GDRY	03/26/2009
Pb212	9.46e-01	4.3e-01	• .	PCI/GDRY	03/26/2009
Pb214 *	1.42e+02	1.6e+01		PCI/GDRY	03/26/2009
Ra224	9.66e+00	4.9e+00		PCI/GDRY	03/26/2009
Ra226 *	1.87e+02	2.2e+01		PCI/GDRY	03/26/2009
Ra228	ND .		2.7e+00	PCI/GDRY	03/26/2009
T1208	2.24e-01	1.4e-01		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02916G

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type: Amount analyzed: SAM

Prep procedure:

N/A NAREL GAM-01

Dry/wet weight:

1.710e+02 GDRY 82.50 % 90.40 %

Analysis procedure: Analyst: QC type:

RCL^{*} ANA

Ash/dry weight: Sample description:

N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 18:23	100.0	GE13	RCL

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140	ND	,	5.3e+00	PCI/GDRY	03/26/2009
Bi212	1.45e+00	8.1e-01		PCI/GDRY	03/26/2009
Bi214 *	9.99e+00	1.2e+00	•	PCI/GDRY	03/26/2009
Co60	ND		1.3e-01	PCI/GDRY	03/26/2009
Cs137	4.90e-02	5.3e-02		PCI/GDRY	03/26/2009
I131	ND		6.4e+00	PCI/GDRY	03/26/2009
K40	1.66e+01	2.2e+00	·	PCI/GDRY	03/26/2009
Pb212	1.04e+00	1.7e-01		PCI/GDRY	03/26/2009
Pb214 *	1.05e+01	1.2e+00		PCI/GDRY	03/26/2009
Ra223 *	6.04e-01	5.2e-01		PCI/GDRY	03/26/2009
Ra224	1.21e+00	1.5e+00		PCI/GDRY	03/26/2009
Ra226 *	1.57e+01	2.3e+00		PCI/GDRY	03/26/2009
Ra228	1.09e+00	2.2e-01		.PCI/GDRY	03/26/2009
T1208	3.18e-01	7.3e-02		PCI/GDRY	03/26/2009
U235 *	9.83e-01	1.4e-01		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02917H

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM 4.540e+02 GDRY Prep procedure:

N/A NAREL GAM-01

Amount analyzed: Dry/wet weight:

80.07 %

Analysis procedure: Analyst:

QC type:

RCL ANA

Ash/dry weight: Sample description:

N/A N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE15	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		5.9e-01	PCI/GDRY	03/26/2009
Bi212	1.65e+00	2.4e-01	•	PCI/GDRY	03/26/2009
Bi214 *	1.23e+00	1.4e-01		PCI/GDRY	03/26/2009
Co60	ND		2.4e-02	PCI/GDRY	03/26/2009
Cs137	ND		2.3e-02	PCI/GDRY	03/26/2009
I131	ND		5.6e-01	PCI/GDRY	03/26/2009
K40	2.20e+01	2.5e+00		PCI/GDRY	03/26/2009
Pb210 *	7.73e-01	2.2e-01	. *	PCI/GDRY	03/26/2009
Pb212	1.17e+00	1.4e-01	, ,	PCI/GDRY	03/26/2009
Pb214 *	1.25e+00	1.5e-01	,	PCI/GDRY	03/26/2009
Ra226 *	2.31e+00	3.6e-01	•	PCI/GDRY	03/26/2009
Ra228	1.47e+00	1.7e-01		PCI/GDRY	03/26/2009
Th234 *	6.63e-01	1.4e-01		PCI/GDRY	03/26/2009
T1208	4.84e-01	5.7e-02	4 X	PCI/GDRY	03/26/2009
U235 *	1.42e-01	2.2e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02918J

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

1.700e+02 GDRY 84.34 %

Analysis procedure: Analyst:

NAREL GAM-01

Ash/dry weight:

Comment:

94.80 %

QC type:

RCL ANA

Sample description:

N/A

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 20:05	100.0	GE13	RCL

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		1.8e+01	PCI/GDRY	03/26/2009
Bi214 *	1.67e+02	1.9e+01		PCI/GDRY	03/26/2009
Co60	ND		4.0e-01	PCI/GDRY	03/26/2009
Cs137	ND		4.5e-01	PCI/GDRY	03/26/2009
I131	ND		2.2e+01	PCI/GDRY	03/26/2009
K40	1.88e+01	2.9e+00		PCI/GDRY	03/26/2009
Pb212	9.45e-01	3.7e-01	·	PCI/GDRY	03/26/2009
Pb214 *	1.80e+02	2.1e+01		PCI/GDRY	03/26/2009
Ra224	7.50e+00	5.6e+00		PCI/GDRY	03/26/2009
Ra226 *	3.02e+02	3.5e+01		PCI/GDRY	03/26/2009
Ra228	ND	-	3.0e+00	PCI/GDRY	03/26/2009
Tl208	1.73e-01	1.4e-01		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02919K

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

4.110e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight: Ash/dry weight:

80.95 % N/A

Analyst: QC type: **RCL** ANA

Sample description:

N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE16	RCL

Analyte		Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140		ND		4.5e-01	PCI/GDRY	03/26/2009
Bi212		1.51e+00	2.1e-01		PCI/GDRY	03/26/2009
Bi214	*	1.54e+00	1.8e-01		PCI/GDRY	03/26/2009
Co60		ND		2.1e-02	PCI/GDRY	03/26/2009
Cs137		ND		1.8e-02	PCI/GDRY	03/26/2009
I131		ND		4.3e-01	PCI/GDRY	03/26/2009
K40		2.30e+01	2.7e+00		PCI/GDRY	03/26/2009
Pb210	*	1.60e+00	2.5e-01		PCI/GDRY	03/26/2009
Pb212		1.03e+00	1.2e-01	. '	PCI/GDRY	03/26/2009
Pb214	*	1.64e+00	1.9e-01		PCI/GDRY	03/26/2009
Ra226	*	2.75e+00	3.8e-01	÷	PCI/GDRY	03/26/2009
Ra228		1.45e+00	1.7e-01		PCI/GDRY	03/26/2009
Th234	*	7.12e-01	1.2e-01	•	PCI/GDRY	03/26/2009
T1208		4.72e-01	5.6e-02		PCI/GDRY	03/26/2009
U235	*	1.72e-01	2.4e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

Comment:

A9.02920C

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.850e+02 GDRY 89.49 % Analysis procedure:

NAREL GAM-01

Dry/wet weight: Ash/dry weight:

89.49 % N/A Analyst: QC type:

RCL ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/05/2009 00:28	500.0	GE13	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		1.1e+00	PCI/GDRY	03/26/2009
Bi212	1.13e+00	3.0e-01	•	PCI/GDRY	03/26/2009
Bi214 *	6.90e+00	8.0e-01		PCI/GDRY	03/26/2009
Co60	ND	,	4.0e-02	PCI/GDRY	03/26/2009
Cs137	ND		4.5e-02	PCI/GDRY	03/26/2009
I131	ND	1	1.1e+00	PCI/GDRY	03/26/2009
K40	1.96e+01	2.3e+00		PCI/GDRY	03/26/2009
Pb212	8.15e-01	1.1e-01		PCI/GDRY	03/26/2009
Pb214 *	7.44e+00	8.6e-01		PCI/GDRY	03/26/2009
Ra223 *	2.08e-01	1.6e-01		PCI/GDRY	03/26/2009
Ra224	1.15e+00	6.1e-01		PCI/GDRY	03/26/2009
Ra226 *	1.06e+01	1.3e+00		PCI/GDRY	03/26/2009
Ra228	8.14e-01	1.2e-01		PCI/GDRY	03/26/2009
T1208	2.69e-01	4.0e-02		PCI/GDRY	03/26/2009
U235 *	6.66e-01	8.4e-02	,	PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02921D

OC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.540e+02 GDRY

Analysis procedure:

NAREL GAM-01

Dry/wet weight:
Ash/dry weight:

91.74 % 96.00 % Analyst:

RCL

Sample description: Comment: N/A N/A QC type:

ANA

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/05/2009 16:24	1000.0	GE08	RCL

Analyte		Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140		ND		7.1e-01	PCI/GDRY	03/26/2009
Bi212		7.69e-01	2.0e-01		PCI/GDRY	03/26/2009
Bi214 *	*	7.78e-01	9.8e-02		PCI/GDRY	03/26/2009
Co60		ND		3.9e-02	PCI/GDRY	03/26/2009
Cs137		2.54e-01	3.5e-02		PCI/GDRY	03/26/2009
I131		ND		7.2e-01	PCI/GDRY	03/26/2009
K40		1.70e+01	2.0e+00		PCI/GDRY	03/26/2009
Pb210 *	*	2.00e+00	3.7e-01		PCI/GDRY	03/26/2009
Pb212		6.91e-01	8.6e-02		PCI/GDRY	03/26/2009
Pb214	*	8.28e-01	1.0e-01	•	PCI/GDRY	03/26/2009
Ra224		7.49e-01	3.5e-01	, ,	PCI/GDRY	03/26/2009
Ra226	*	1.49e+00	3.4e-01		PCI/GDRY	03/26/2009
Ra228	•	7.42e-01	1.0e-01		PCI/GDRY	03/26/2009
Th234	*	5.67e-01	1.5e-01		PCI/GDRY	03/26/2009
T1208		2.24e-01	3.3e-02	,	PCI/GDRY	03/26/2009
U235	*	9.36e-02	2.1e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

Comment:

A9.02922E

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type: Amount analyzed: SAM 2.520e+02 GDRY Prep procedure:

N/A NAREL GAM-01

Dry/wet weight: Ash/dry weight:

86.03 % 89.20 % Analysis procedure: Analyst: QC type:

RCL ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 10:12	100.0	GE08	RCL

Analyte	_	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140		ND		7.4e+00	PCI/GDRY	03/26/2009
Bi214	*	1.59e+01	1.9e+00	·	PCI/GDRY	03/26/2009
Co60		ND		2.3e-01	PCI/GDRY	03/26/2009
Cs137		2.36e-01	9.2e-02		PCI/GDRY	03/26/2009
I131	ĺ	ND		9.8e+00	PCI/GDRY	03/26/2009
K40	1	1.71e+01	2.5e+00		PCI/GDRY	03/26/2009
Pb210	*	8.06e+00	1.8e+00	,	PCI/GDRY	03/26/2009
Pb212		7.17e-01	1.7e-01	• •	PCI/GDRY	03/26/2009
Pb214	*	1.62e+01	1.9e+00		PCI/GDRY	03/26/2009
Ra226	*	2.01e+01	3.0e+00		PCI/GDRY	03/26/2009
Ra228		5.95e-01	2.9e-01		PCI/GDRY	03/26/2009
Tl208		1.05e-01	7.8e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

Comment:

A9.02923F

QC batch #:

0005750W

Matrix:

SOIL SAM

Assay batch #:

0013224J

Sample type: Amount analyzed:

1.630e+02 GDRY

Prep procedure:

N/A

Dry/wet weight:

86.97 %

Analysis procedure: Analyst:

NAREL GAM-01 RCL

Ash/dry weight:

N/A

QC type:

ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 15:19	300.0	GE14	RCL

Analyte		Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba140		ND		2.0e+00	PCI/GDRY	03/26/2009
Bi212		4.89e-01	2.4e-01	•	PCI/GDRY	03/26/2009
Bi214	*	5.74e+00	6.7e-01		PCI/GDRY	03/26/2009
Co60		ND		4.6e-02	PCI/GDRY	03/26/2009
Cs137		2.40e-01	3.6e-02		PCI/GDRY	03/26/2009
1131		ND		2.4e+00	PCI/GDRY	03/26/2009
K40		1.92e+01	2.3e+00		PCI/GDRY	03/26/2009
Pb212		5.62e-01	8.0e-02		PCI/GDRY	03/26/2009
Pb214	*	6.12e+00	7.1e-01	•	PCI/GDRY	03/26/2009
Ra223	*	1.23e-01	9.8e-02		PCI/GDRY	03/26/2009
Ra224		9.31e-01	5.5e-01		PCI/GDRY	03/26/2009
Ra226	*	8.92e+00	1.1e+00		PCI/GDRY	03/26/2009
Ra228		5.91e-01	9.3e-02		PCI/GDRY	03/26/2009
T1208		1.29e-01	2.8e-02		PCI/GDRY	03/26/2009
U235	*	5.60e-01	7.2e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02924G

QC batch #:

0005750W

Matrix:

SOIL

Assay batch #:

0013224J

Sample type: Amount analyzed:

Comment:

SAM

Prep procedure:

N/A ·

Dry/wet weight:

2.580e+02 GDRY 86.84 %

Analysis procedure:

NAREL GAM-01

Ash/dry weight:

91.60 %

Analyst: QC type: RCL

Sample description:

N/A N/A

ANA

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/04/2009 16:25	1000.0	GE08	RCL

· ·					
Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		7.6e-01	PCI/GDRY	03/26/2009
Bi212	7.78e-01	2.4e-01		PCI/GDRY	03/26/2009
Bi214 *	1.72e+00	2.0e-01		PCI/GDRY	03/26/2009
Co60	ND		4.3e-02	PCI/GDRY	03/26/2009
Cs137	1.60e-01	2.5e-02		PCI/GDRY	03/26/2009
I131	ND		7.2e-01	PCI/GDRY	03/26/2009
K40	1.87e+01	2.2e+00		PCI/GDRY	03/26/2009
Pb210 *	2.00e+00	3.9e-01		PCI/GDRY	03/26/2009
Pb212	7.31e-01	9.1e-02		PCI/GDRY	03/26/2009
Pb214 *	1.79e+00	2.1e-01		PCI/GDRY	03/26/2009
Ra223 *	1.96e-01	7.3e-02	· .	PCI/GDRY	03/26/2009
Ra224	8.76e-01	3.6e-01		PCI/GDRY	03/26/2009
Ra226 *	2.81e+00	4.7e-01	•	PCI/GDRY	03/26/2009
Ra228	7.51e-01	1.0e-01		PCI/GDRY	03/26/2009
Th234 *	3.60e-01	1.5e-01		PCI/GDRY	03/26/2009
T1208	2.38e-01	3.5e-02		PCI/GDRY	03/26/2009
U235 *	1.77e-01	3.0e-02		PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #: Matrix:

SOIL

Sample type:

Amount analyzed: Dry/wet weight:

Ash/dry weight:

Sample description:

Comment:

A9.02925H

SAM

2.540e+02 GDRY

79.85 % 87.60 %

N/A N/A

QC batch #:

Assay batch #: Prep procedure:

Analysis procedure:

Analyst: QC type: 0005750W

0013224J N/A

NAREL GAM-01

RCL ANA

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 15:37	1000.0	GE08	RCL

Analyte		Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140		ND		1.1e+00	PCI/GDRY	03/26/2009
Bi212		6.79e-01	1.9e-01	,	PCI/GDRY	03/26/2009
Bi214	*	8.20e-01	1.0e-01	•	PCI/GDRY	03/26/2009
Co60		ND		3.7e-02	PCI/GDRY	03/26/2009
Cs137		2.54e-01	3.5e-02		PCI/GDRY	03/26/2009
I131		ND		1.4e+00	PCI/GDRY	03/26/2009
K40		1.67e+01	2.0e+00		PCI/GDRY	03/26/2009
Pb210	*	2.00e+00	3.7e-01		PCI/GDRY	03/26/2009
Pb212		7.33e-01	9.0e-02		PCI/GDRY	03/26/2009
Pb214	*	8.24e-01	1.0e-01		PCI/GDRY	03/26/2009
Ra223	*	2.30e-01	6.3e-02		PCI/GDRY	03/26/2009
Ra224		5.92e-01	3.3e-01	·	PCI/GDRY	03/26/2009
Ra226	*	1.43e+00	3.2e-01	٠.	PCI/GDRY	03/26/2009
Ra228		7.53e-01	1.0e-01		PCI/GDRY	03/26/2009
Th234	*	4.10e-01	1.4e-01		PCI/GDRY	03/26/2009
T1208		2.38e-01	3.4e-02	١	PCI/GDRY	03/26/2009
U235	*	9.03e-02	2.0e-02	<u> </u>	PCI/GDRY	03/26/2009

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

· SAMPLE ANALYSIS REPORT

Sample #:

LCS-00559857U

QC batch #:

0005750W

Matrix:

N/A

Assay batch #:

0013224J

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure:

NAREL GAM-01

Dry/wet weight: Ash/dry weight: N/A N/A Analyst: QC type: RCL

Sample description:

N/A

LCS

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 15:37	1000.0	GE15	RCL

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Ba133	9.49e+01	1.2e+01		PCI	11/01/2006
Ba140	ND		1.9e+04	PCI	11/01/2006
Co60	7.71e+01	9.4e+00		PCI	11/01/2006
Cs137	1.29e+02	1.5e+01		PCI	11/01/2006
Eu152	1.04e+02	1.4e+01		PCI	11/01/2006
I131	ND		5.0e+03	PCI	11/01/2006
K40	ND		5.4e+01	PCI	11/01/2006
Pb210 *	2.66e+02	8.8e+01		PCI	11/01/2006
Pb212	7.32e+00	8.2e+00		PCI	11/01/2006
Ra226	ND		1.2e+02	PCI	11/01/2006
Ra228	ND ·		7.0e+01	PCI	11/01/2006

^{*} An asterisk indicates a result that may be significantly under or overestimated

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

RBK-00559856T

QC batch #:

0005750W

Matrix:

N/A

Assay batch #:

0013224J

Sample type:

N/A 1.000e+00 SAMP Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

N/A

Analysis procedure:

NAREL GAM-01

Ash/dry weight:

N/A

Analyst: QC type: RCL **RBK**

Sample description: Comment:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 15:37	1000.0	GE16	RCL

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Ba140	ND		1.5e+01	PCI	05/04/2009
Co60	ND		3.7e+00	PCI	05/04/2009
Cs137	ND		3.1e+00	PCI	05/04/2009
I131	ND		6.5e+00	PCI	05/04/2009
K40	1.88e+01	1.4e+01		PCI	05/04/2009
Ra226	ND		5.1e+01	PCI	05/04/2009
Ra228	ND		2.0e+01	PCI	05/04/2009

SDG 0900021

QC BATCH SUMMARY

QC batch #:

0005750W

Preparation procedure:

N/A

Analysis procedure:

NAREL GAM-01

	QC			
NAREL Sample #	Туре	Yield (%)	± 2 σ Uncertainty (%)	Analyst
A9.02906E		N/A		RCL
A9.02906E	DUP	N/A		RCL
A9.02907F		N/A		RCL
A9.02908G		N/A	,	RCL
А9.02909Н		N/A		RCL
A9.02910A		N/A		RCL
A9.02911B		N/A		RCL
A9.02912C		N/A		RCL
A9,02913D		N/A		RCL
A9.02914E		N/A		RCL
A9.02915F		N/A		RCL
A9.02916G		N/A	•	RCL
A9.02917H		N/A		RCL
A9.02918J		N/A		RCL
A9.02919K	•	N/A		RCL
A9.02920C		N/A		RCL
A9.02921D		N/A	,	RCL
A9.02922E		N/A		RCL
A9.02923F		N/A		RCL
A9.02924G		N/A		RCL
A9.02925H		N/A		RCL
LCS-00559857U *	LCS	N/A		RCL
RBK-00559856T *	RBK .	N/A		RCL

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

National Air and Radiation Environmental Laboratory QC Batch Report

OC Batch #: 0005750W

Analytical Procedure: NAREL GAM-01

METHOD BLANKS (PCI)

Sample ID	Nuclide	Activity ± 20	Prep Date
00559856T 00559856T 00559856T 00559856T 00559856T 00559856T	BA140 CO60 CS137 I131 K40 RA226 RA228	1.88e+01 ± 1.4e+01	

LABORATORY DUPLICATES (PCI/GDRY)

Sample ID	Nuclide	Original ± 20	Duplicate ± 20	RPD	Z
A9.02906E A9.02906E A9.02906E A9.02906E A9.02906E	BA140 BI212 CO60 CS137 I131		1.48e+00 ± 2.2e-01		
A9.02906E A9.02906E A9.02906E A9.02906E A9.02906E	K40 PB212 RA224 RA228 TL208	2.07e+01 ± 2.4e+00 1.49e+00 ± 1.8e-01 1.22e+00 ± 3.6e-01 1.45e+00 ± 1.8e-01 4.98e-01 ± 6.1e-02	1.44e+00 ± 1.7e-01 9.00e-01 ± 3.0e-01 1.51e+00 ± 1.8e-01	3.41 30.19 4.05	-0.41 OK -1.36 OK

LAB CONTROL SAMPLES (PCI)

Sample ID	Nuclide	Amt Added ± 2 σ	Measured ± 2σ	₽R.	Z
00559857 U 00559857 U	BA133 BA140	1.04e+02 ± 2.1% NO SPIKE DATA	9.49e+01 ± 1.2e+01	91.54	-1.50 OK
00559857U 00559857U	CO60 CS137	7.36e+01 ± 2.1% 1.16e+02 ± 2.1%	7.71e+01 ± 9.4e+00 1.29e+02 ± 1.5e+01	104.81 111.55	0.74 OK 1.70 OK
00559857U 00559857U	EU152 I131	9.54e+01 ± 2.1% NO SPIKE DATA	1.04e+02 ± 1.4e+01	108.96	1.20 OK
00559857ປ 00559857ປ	K40 PB212	NO SPIKE DATA NO SPIKE DATA			
00559857ປ 00559857ປ	RA226 RA228	NO SPIKE DATA NO SPIKE DATA			

QA Officer:

5-14-09

REPORT OF SAMPLE DELIVERY GROUP #0900021

Project:

Region 7 - Kansas Radium Dial Site, Wichita, KS

Analysis Procedure:

Actinides (Uranium) by Extraction Chromatography

Report ID:

0900021-U

Report Type:

Original

Date Reported:

05/27/2009

Total Pages in Report:

27

SAMPLES

NAREL		***************************************		Date	Date
Sample #	Client Sample ID	Туре	Matrix	Collected	Received
A9.02906E	650-SB-BG1 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02907F	650-SB-BG2 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02908G	650-SB-7-2 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02909H	650-SB-10-1 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02910A	650-SB-10-1 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02911B	650-SB-13-1 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02912C	650-SB-13-1 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02913D	650-SB-13-2 (0-3.5 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02914E	650-SB-13-2 (3.5-4 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02915F	650-SB-13-3 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02916G	650-SB-13-3 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02917H	650-SB-13-3 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02918J	650-SB-17-1 (0-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02919K	650-SB-17-1 (3-4 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02920C	650-SS-9-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02921D	650-SS-12-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02922E	650-SS-23-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02923F	650-SS-24-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02924G	650-SS-BGA	SAM	SOIL	03/26/2009	04/02/2009
A9.02925H	650-SS-BGB	SAM	SOIL	03/26/2009	04/02/2009

EXCEPTIONS

- Packaging and Shipping No problems were observed. 1.
- 2. Documentation - No problems were observed.
- 3. Sample Preparation - No problems were encountered.
- 4. Analysis - Only samples A9.02906, A9.02907, A9.02913, A9.02916, A9.02921, A9.02924, and A9.02925 were analyzed for uranium as requested by the client. For samples A9.02913 and A9.02916, the aliquant size used for these samples was very small in anticipation of elevated analyte concentration. The concentration of uranium present in these samples, however, was not elevated as anticipated. In an effort to provide results with lower uncertainties, samples A9.02913 and A9.02916 were reanalyzed with larger aliquants. The results of the reanalysis of these samples are reported in this data package.
- 5. Holding Times - All holding times were met.

QUALITY CONTROL

- QC samples All QC analysis results met NAREL acceptance criteria. 1.
- 2. Yields - All chemical yields were within acceptance limits.
- 3. Instruments - Response and background checks for all instruments used in these analyses met NAREL acceptance criteria.

CERTIFICATION

I certify that this data report complies with the terms and conditions of the Quality Assurance Project Plan, except as noted above. Release of the data contained in this report has been authorized by the Director of the Center for Environmental Radioanalytical Laboratory Science and the NAREL Quality Assurance Manager, or their designees, as verified by the following signatures.

Quality Assurance Manager, NAREL

John G. Griggs, Ph.D.

Director, Center for Environmental Radioanalytical

Laboratory Science

GENERAL INFORMATION

SAMPLE TYPES

BLD	Blind sample
FBK	 Field blank
SAM	Normal sample

ANALYSIS QC TYPES

ANA	Normal analysis
DUP	Laboratory duplicate
LCS	Laboratory control sample (blank spike)
MS	Matrix spike
MSD	Matrix spike duplicate
RRK	Method blank

QUALITY INDICATORS

RPD	Relative Percent Difference	•		•
%R	Percent Recovery			
Z	Number of standard deviation	s by which a QC	measurement differs f	from the expected value

EVALUATION OF QC ANALYSES

A method blank result is considered unacceptable if it is more than 3 standard deviations below zero or more than 3 standard deviations above a predetermined upper control limit. For some analyses NAREL has set the upper control limit at zero. For others the control limit is a small positive number.

NAREL evaluates the results of duplicate and spike analyses using "Z scores." A Z score is the number of standard deviations by which the QC result differs from its ideal value. The score is considered acceptable if its absolute value is not greater than 3.

The Z score for a spiked sample is computed by dividing the difference between the measured value and the target value by the combined standard uncertainty of the difference.

The Z score for a duplicate analysis is computed by dividing the difference between the two measured values by the combined standard uncertainty of the difference. When the precision of paired MS/MSD analyses is evaluated, the native sample activity is subtracted from each measured value and the net concentrations are then converted to total activities before the Z score is computed.

Each standard uncertainty used to compute a Z score includes an additional fixed term to represent sources of measurement error other than counting error. This additional term is not used in the evaluation of reagent blanks.

NAREL reports the "relative percent difference," or RPD, between duplicate results and the "percent recovery," or %R, for spiked analyses, but does not use these values for evaluation.

SDG #0900021

ANALYSIS SUMMARY

Analysis Procedure:

NAREL U-EICHROM

Title:

Actinides (Uranium) by Extraction Chromatography

	Т	T .		1	T
•	QC		Date	Assay	QC
NAREL Sample #	Туре	Preparation Procedure	Completed	Batch #	Batch #
A9.02906E		N/A	05/15/2009	0013258V	0005769H
A9.02906E	DUP	N/A	05/15/2009	0013258V	0005769H
A9.02907F		N/A	05/15/2009	0013258V	0005769H
A9.02913D		N/A	05/21/2009	0013275W	0005792G
A9.02913D	DUP	N/A	05/21/2009	0013275W	0005792G
A9.02916G		N/A	05/21/2009	0013275W	0005792G
A9.02921D		N/A	05/15/2009	0013258V	0005769H
A9.02924G		N/A	05/15/2009	0013258V	0005769H
A9.02925H	1.	N/A	05/15/2009	0013258V	0005769H
LCS-00560089T *	LCS	N/A	05/15/2009	0013258V	0005769H
RBK-00560088R *	RBK	N/A	05/15/2009	0013258V	0005769H
LCS-00560984R *	LCS	N/A	05/21/2009	0013275W	0005792G
RBK-00560983Q *	RBK	N/A	05/21/2009	0013275W	0005792G

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

PREPARATION METHOD(S) USED

Procedure ID	Title	

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02906E

QC batch #:

0005769H

Matrix:

SOIL

Assay batch #:

0003769H 0013258V

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.532e-01 GASH 82.52 % Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

82.52 % 95.20 % Analyst: QC type:

PMT ANA

Ash/dry weight: Sample description:

95.20 N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS02	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	7.22e-01	1.5e-01	4.7e-02	PCI/GDRY	05/14/2009
U235	5.46e-02	5.0e-02	5.7e-02	PCI/GDRY	05/14/2009
U238	7.85e-01	1.6e-01	5.2e-02	PCI/GDRY	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02906E

QC batch #:

0005769H

Matrix:

SOIL

Assay batch #:

000376311 0013258V

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

2.509e-01 GASH 82.52 % Analysis procedure: Analyst:

NAREL U-EICHROM

Ash/dry weight:

95.20 %

QC type:

PMT DUP

Sample description:

N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS09	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	7.71e-01	1.6e-01	4.3e-02	PCI/GDRY	05/14/2009
U235	4.54e-02	4.5e-02	3.9e-02	PCI/GDRY	05/14/2009
U238	7.41e-01	1.6e-01	4.3e-02	PCI/GDRY	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02907F

QC batch #:

0005769H

Matrix:

SOIL

Assay batch #:

0013258V

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.537e-01 GASH 84.22 % Analysis procedure: Analyst:

NAREL U-EICHROM

Dry/wet weight:

95.60 %

Analyst: QC type: PMT ANA

Ash/dry weight: Sample description:

95.00 N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS10	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	6.82e-01	1.5e-01	4.8e-02	PCI/GDRY	05/14/2009
U235	1.77e-02	3.7e-02	6.4e-02	PCI/GDRY	05/14/2009
U238	7.10e-01	1.5e-01	3.2e-02	PCI/GDRY	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02913D

QC batch #:

0005792G

Matrix:

SOIL

Assay batch #:

0003792G 0013275W

Sample type:

SAM

Prep procedure:

0013273 N/A

Amount analyzed:

2.014e-01 GASH

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

84.24 %

Analyst:

PMT

Ash/dry weight:

94.80 %

QC type:

ANA

Sample description: Comment: N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 17:04	1000.0	AS26	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	1.01e+00	2.1e-01	4.4e-02	PCI/GDRY	05/20/2009
U235	3.37e-02	4.2e-02	5.3e-02	PCI/GDRY	05/20/2009
U238	9.91e-01	2.1e-01	3.3e-02	PCI/GDRY	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02913D

QC batch #:

0005792G

Matrix:

SOIL

Assay batch #:

0005792G 0013275W

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.014e-01 GASH

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

84.24 %

Analyst: QC type:

PMT DUP

Ash/dry weight:

94.80 % N/A

Sample description: Comment:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 17:04	1000.0	AS28	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	1.14e+00	2.2e-01	4.8e-02	PCI/GDRY	05/20/2009
U235	9.53e-02	6.1e-02	3.8e-02	PCI/GDRY	05/20/2009
U238	1.05e+00	2.1e-01	4.2e-02	PCI/GDRY	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02916G

QC batch #:

0005792G

Matrix:

SOIL

Assay batch #:

0003792G 0013275W

Sample type:

Comment:

SAM

Prep procedure:

0013275W N/A

Amount analyzed:

2.508e-01 GASH

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

82.50 %

Analyst: QC type: PMT ANA

Ash/dry weight:

90.40 % N/A

Sample description: N

N/A N/A

2

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 17:04	1000.0	AS29	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	1.31e+00	2.2e-01	3.2e-02	PCI/GDRY	05/20/2009
U235	1.00e-01	5.5e-02	2.9e-02	PCI/GDRY	05/20/2009
U238	1.08e+00	1.9e-01	3.7e-02	PCI/GDRY	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02921D

QC batch #:

0005769H

Matrix:

SOIL

Assay batch #:

0003769H 0013258V

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.545e-01 GASH

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight: Ash/dry weight:

91.74 % 96.00 % Analyst: QC type:

PMT ANA

Sample description:

N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator	
05/14/2009 17:05	1000.0	AS11	DPG	

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	7.09e-01	1.6e-01	3.3e-02	PCI/GDRY	05/14/2009
U235	3.35e-02	4.2e-02	5.2e-02	PCI/GDRY	05/14/2009
U238	8.82e-01	1.8e-01	4.4e-02	PCI/GDRY	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

Comment:

A9.02924G

QC batch #:

0005769H

Matrix:

SOIL

Assay batch #:

0013258V

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.527e-01 GASH

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

86.84 %

Analyst:

PMT

Ash/dry weight:

91.60 %

QC type:

ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS24	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	5.49e-01	1.3e-01	4.1e-02	PCI/GDRY	05/14/2009
U235	2.57e-02	3.5e-02	3.7e-02	PCI/GDRY	05/14/2009
U238	6.04e-01	1.4e-01	4.7e-02	PCI/GDRY	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02925H

QC batch #:

0005769H

Matrix:

SOIL

Assay batch #:

0013258V

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.530e-01 GASH

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

79.85 %

Analyst:

PMT

Ash/dry weight:

87.60 %

QC type:

ANA

Sample description: Comment: N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS26	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	5.21e-01	1.1e-01	3.2e-02	PCI/GDRY	05/14/2009
U235	4.44e-02	3.8e-02	3.8e-02	PCI/GDRY	05/14/2009
U238	5.06e-01	1.1e-01	2.4e-02	PCI/GDRY	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

LCS-00560089T

QC batch #:

0005769H

Matrix:

N/A

Assay batch #:

0013258V

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

1.000e+00 SAMP N/A

Analysis procedure:

NAREL U-EICHROM

Ash/dry weight:

N/A

Analyst: QC type: PMT LCS

Sample description:

N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS29	DPG

\lceil	Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
	U234	1.85e+00	1.6e-01	9.1e-03	PÇI	05/14/2009
	U235 .	1.32e-01	3.4e-02	8.3e-03	PCI	05/14/2009
	U238	1.97e+00	1.7e-01	1.0e-02	PCI	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

RBK-00560088R

QC batch #:

0005769H

Matrix:

N/A

Assay batch #:

0013258V

Sample type:

N/A

Prep procedure: Analysis procedure: N/A NAREL U-EICHROM

Amount analyzed: Dry/wet weight:

1.000e+00 SAMP N/A

Analyst:

PMT

Ash/dry weight:

N/A

QC type:

RBK

Sample description: Comment:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/14/2009 17:05	1000.0	AS33	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	1.62e-02	1.3e-02	1.6e-02	PCI	05/14/2009
U235	3.88e-03	8.4e-03	1.3e-02	PCI	05/14/2009
U238	7.13e-03	8.9e-03	1.1e-02	PCI	05/14/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

LCS-00560984R

QC batch #:

0005792G

Matrix:

N/A

Assay batch #:

0013275W

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight:

N/A N/A Analyst: QC type:

PMT LCS

Ash/dry weight: Sample description:

N/A

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 17:04	1000.0	AS09	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	1.95e+00	1.8e-01	1.3e-02	PCI	05/20/2009
U235	1.07e-01	3.4e-02	1.0e-02	PCI	05/20/2009
U238	1.99e+00	1.8e-01	1.2e-02	PCI	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

RBK-00560983Q

QC batch #:

0005792G

Matrix:

N/A

Assay batch #:

0013275W

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure:

NAREL U-EICHROM

Dry/wet weight: Ash/dry weight:

N/A N/A Analyst:

PMT

N/A

QC type:

RBK

Sample description: Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 17:04	1000.0	AS10	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
U234	1.47e-02	1.4e-02	1.5e-02	PCI	05/20/2009
U235	1.56e-02	1.5e-02	1.3e-02	PCI	05/20/2009
U238	1.65e-02	1.5e-02	1.7e-02	PCI	05/20/2009

SDG 0900021

QC BATCH SUMMARY

QC batch #:

0005769Н

Preparation procedure:

N/A

Analysis procedure:

NAREL U-EICHROM

	QC			
NAREL Sample #	Туре	Yield (%)	±2 σ Uncertainty (%)	Analyst
A9.02906E		105.00 %	7.76 %	PMT
A9.02906E	DUP	101.58 %	7.55 %	PMT
A9.02907F		102.12 %	7.58 %	PMT
A9.02921D		99.31 %	7.42 %	PMT
A9.02924G		97.83 %	7.26 %	PMT
A9.02925H		95.85 %	6.72 %	PMT
LCS-00560089T*	LCS	93.07 %	6.50 %	PMT
RBK-00560088R *	RBK	90.97 %	6.70 %	PMT

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

SDG 0900021

QC BATCH SUMMARY

QC batch #:

0005792G

Preparation procedure:

N/A

Analysis procedure:

NAREL U-EICHROM

NAREL Sample #	QC Type	Yield (%)	± 2 σ Uncertainty (%)	Analyst
A9.02913D	·.	94.25 %	6.63 %	PMT
A9.02913D	DUP	94.61 %	6.55 %	PMT
A9.02916G		96.15 %	6.67 %	PMT
LCS-00560984R *	LCS	100.35 %	7.48 %	PMT
RBK-00560983Q *	RBK	77.02 %	6.14 %	PMT

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

National Air and Radiation Environmental Laboratory QC Batch Report

QC Batch #: 0005769H

Analytical Procedure: NAREL U-EICHROM

METHOD BLANKS (PCI)

Sample ID	Nuclide	Activity ± 20	Prep Date
00560088R	U234 U235 U238	1.62e-02 ± 1.3e-02 3.88e-03 ± 8.4e-03 7.13e-03 ± 8.9e-03	2009-05-07

LABORATORY DUPLICATES (PCI/GASH)


Sample ID Nucli	e Original ± 2σ	Duplicate ± 2σ	RPD	Z
A9.02906E U234 A9.02906E U235 A9.02906E U238	5.74e-02 ± 5.3e-02	8.10e-01 ± 1.7e-01 4.77e-02 ± 4.7e-02 7.78e-01 ± 1.7e-01	18.37	0.44 OK -0.27 OK -0.39 OK

LAB CONTROL SAMPLES (PCI)


Sample ID Nu	uclide Amt Adde	d ± 2σ Measur	ed ± 2σ	₹R	Z
00560089T U2	235 9.38e-0	2 ± 2.6% 1.32e-	00 ± 1.6e-01 01 ± 3.4e-02 00 ± 1.7e-01	140.76	-1.38 OK 2.09 OK -0.83 OK

5/19/09


Procedure: NAREL U-EICHROM



Procedure: NAREL U-EICHROM



Procedure: NAREL U-EICHROM



National Air and Radiation Environmental Laboratory QC Batch Report

QC Batch #: 0005792G

Analytical Procedure: NAREL U-EICHROM

METHOD BLANKS (PCI)

Sample ID	Nuclide	Activity ± 2σ	Prep Date
00560983Q	U234 U235 U238	1.47e-02 ± 1.4e-02 1.56e-02 ± 1.5e-02 1.65e-02 ± 1.5e-02	2009-05-19

LABORATORY DUPLICATES (PCI/GASH)

Sample ID	Nuclide	Original ± 2σ	Duplicate ± 20	RPD	Z
A9.02913D	U234 U235 U238	$3.56e-02 \pm 4.5e-02$	1.20e+00 ± 2.3e-01 1.00e-01 ± 6.5e-02 1.10e+00 ± 2.2e-01	95.39	1.64 OK

LAB CONTROL SAMPLES (PCI)

Sample ID Nucl:	de Amt Added ± 20	Measured ± 2σ	%R	Z
00560984R U234	1.96e+00 ± 2.8%	1.95e+00 ± 1.8e-01	113.69	-0.15 OK
00560984R U235	9.38e-02 ± 2.6%	1.07e-01 ± 3.4e-02		0.72 OK
00560984R U238	2.04e+00 ± 2.8%	1.99e+00 ± 1.8e-01		-0.52 OK

Analyst:

Parli M- Newton

5721/15

Thaxton, Paul


.

axton, Kaula M.


OA Officer

5/21/09


Procedure: NAREL U-EICHROM



Procedure: NAREL U-EICHROM



Procedure: NAREL U-EICHROM



REPORT OF SAMPLE DELIVERY GROUP #0900021

Project:

Region 7 - Kansas Radium Dial Site, Wichita, KS

Analysis Procedure:

Actinides (Thorium) by Extraction Chromatography

Report Type:

0900021-TH

Report Type:
Date Reported:

Original 05/27/2009

Total Pages in Report:

29

SAMPLES

		• • •			
NAREL Sample #	Client Sample ID	Туре	Matrix	Date Collected	Date Received
A9.02906E	650-SB-BG1 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02907F	650-SB-BG2 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02908G	650-SB-7-2 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02909H	650-SB-10-1 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02910A	650-SB-10-1 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02911B	650-SB-13-1 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02912C	650-SB-13-1 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02913D	650-SB-13-2 (0-3.5 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02914E	650-SB-13-2 (3.5-4 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02915F	650-SB-13-3 (0-1 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02916G	650-SB-13-3 (1-2 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02917H	650-SB-13-3 (2-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02918J	650-SB-17-1 (0-3 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02919K	650-SB-17-1 (3-4 FT)	SAM	SOIL	03/26/2009	04/02/2009
A9.02920C	650-SS-9-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02921D	650-SS-12-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02922E	650-SS-23-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02923F	650-SS-24-1	SAM	SOIL	03/26/2009	04/02/2009
A9.02924G	650-SS-BGA	SAM	SOIL	03/26/2009	04/02/2009
A9.02925H	650-SS-BGB	SAM	SOIL	03/26/2009	04/02/2009

EXCEPTIONS

- 1. Packaging and Shipping No problems were observed.
- 2. Documentation No problems were observed.
- 3. Sample Preparation No problems were encountered.
- 4. Analysis Only samples A9.02906, A9.02907, A9.02913, A9.02916, A9.02921, A9.02924, and A9.02925 were analyzed for thorium as requested by the client. For samples A9.02913 and A9.02916, the aliquant size used for these samples was very small in anticipation of elevated analyte concentration. The concentration of thorium present in these samples, however, was not elevated as anticipated. In an effort to provide results with lower uncertainties, samples A9.02913 and A9.02916 were reanalyzed with larger aliquants. The results of the reanalysis of these samples are reported in this data package.
- 5. Holding Times All holding times were met.

QUALITY CONTROL

- 1. QC samples All QC analysis results met NAREL acceptance criteria.
- 2. Yields All chemical yields were within acceptance limits.
- 3. Instruments Response and background checks for all instruments used in these analyses met NAREL acceptance criteria.

CERTIFICATION

I certify that this data report complies with the terms and conditions of the Quality Assurance Project Plan, except as noted above. Release of the data contained in this report has been authorized by the Director of the Center for Environmental Radioanalytical Laboratory Science and the NAREL Quality Assurance Manager, or their designees, as verified by the following signatures.

Mary F. Wisdom

Quality Assurance Manager, NAREL

5/28/09

John G. Griggs, Ph.D.

Director, Center for Environmental Radioanalytical

Laboratory Science

GENERAL INFORMATION

SAMPLE TYPES

BLD	Blind sample
FBK	Field blank
SAM	Normal sample

ANALYSIS QC TYPES

ANA	Normal analysis
DUP	Laboratory duplicate
LCS	Laboratory control sample (blank spike)
MS	Matrix spike
MSD	Matrix spike duplicate
RBK	Method blank

QUALITY INDICATORS

RPD	Relative Percent Difference
%R	Percent Recovery
Z	Number of standard deviations by which a QC measurement differs from the expected value

EVALUATION OF QC ANALYSES

A method blank result is considered unacceptable if it is more than 3 standard deviations below zero or more than 3 standard deviations above a predetermined upper control limit. For some analyses NAREL has set the upper control limit at zero. For others the control limit is a small positive number.

NAREL evaluates the results of duplicate and spike analyses using "Z scores." A Z score is the number of standard deviations by which the QC result differs from its ideal value. The score is considered acceptable if its absolute value is not greater than 3.

The Z score for a spiked sample is computed by dividing the difference between the measured value and the target value by the combined standard uncertainty of the difference.

The Z score for a duplicate analysis is computed by dividing the difference between the two measured values by the combined standard uncertainty of the difference. When the precision of paired MS/MSD analyses is evaluated, the native sample activity is subtracted from each measured value and the net concentrations are then converted to total activities before the Z score is computed.

Each standard uncertainty used to compute a Z score includes an additional fixed term to represent sources of measurement error other than counting error. This additional term is not used in the evaluation of reagent blanks.

NAREL reports the "relative percent difference," or RPD, between duplicate results and the "percent recovery," or %R, for spiked analyses, but does not use these values for evaluation.

SDG #0900021

ANALYSIS SUMMARY

Analysis Procedure:

NAREL TH-EICHROM

Title:

Actinides (Thorium) by Extraction Chromatography

NAREL Sample #	QC Type	Preparation Procedure	Date Completed	Assay Batch#	QC Batch#
A9.02906E		N/A	05/14/2009	0013257U	0005768G
A9.02906E	DUP	N/A	05/14/2009	0013257U	0005768G
A9.02907F		N/A	05/14/2009	0013257U	0005768G
A9.02913D		N/A	05/21/2009	0013274V	0005791F
A9.02913D	DUP	N/A	05/21/2009	0013274V	0005791F
A9.02916G		N/A	05/21/2009	0013274V	0005791F
A9.02921D		N/A	05/14/2009	0013257U	0005768G
A9.02924G		N/A	05/14/2009	0013257U	0005768G
A9.02925H		N/A	05/14/2009	0013257U (, 0005768G
LCS-00560086P *	LCS	N/A	05/14/2009	0013257U	0005768G
RBK-00560085N *	RBK	N/A	05/14/2009	0013257U	0005768G
LCS-00560976R *	LCS	N/A	05/21/2009	0013274V	0005791F
RBK-00560974P *	RBK	N/A	05/21/2009	0013274V	0005791F

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

PREPARATION METHOD(S) USED

Procedure ID	Title	4		
		•		

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

Comment:

A9.02906E

SOIL

QC batch #:

0005768G

Matrix:

SAM

Assay batch #:

0013257U

Sample type:

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

2.532e-01 GASH

Analysis procedure:

NAREL TH-EICHROM

Ash/dry weight:

82.52 % 95.20 % Analyst: QC type: **PMT** ANA

Sample description:

N/A

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 16:01	1000.0	AS29	DPG

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Th227	1.21e-01	8.2e-02	7.9e-02	PCI/GDRY	05/12/2009
Th228	1.34e+00	2.0e-01	8.3e-02	PCI/GDRY	05/12/2009
Th230	1.21e+00	1.9e-01	2.6e-02	PCI/GDRY	05/12/2009
Th232	1.24e+00	1.9e-01	4.3e-02	PCI/GDRY	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02906E

QC batch #:

0005768G

Matrix:

SOIL

Assay batch #:

0013257U

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.509e-01 GASH

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight:

82.52 %

Analyst:

PMT

Ash/dry weight:

95.20 % N/A

QC type:

DUP

Sample description:

Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 16:01	1000.0	AS33	DPG

Manager 1					
Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Th227	6.16e-02	7.9e-02	1.2e-01	PCI/GDRY	05/12/2009
Th228	1.51e+00	2.4e-01	1.1e-01	PCI/GDRY	05/12/2009
Th230	1.29e+00	2.1e-01	5.1e-02	PCI/GDRY	05/12/2009
Th232	1.17e+00	2.0e-01	4.1e-02	PCI/GDRY	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

Comment:

A9.02907F

QC batch #:

0005768G

Matrix:

SOIL

Assay batch #:

0013257U

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.537e-01 GASH

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight:

84.22 % 95.60 % Analyst: QC type:

PMT ANA

Ash/dry weight: Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator	
05/13/2009 16:01	1000.0	AS35	DPG	

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	2.95e-02	6.0e-02	1.0e-01	PCI/GDRY	05/12/2009
Th228	1.38e+00	2.2e-01	1.3e-01	PCI/GDRY	05/12/2009
Th230	1.10e+00	1.9e-01	5.3e-02	PCI/GDRY	05/12/2009
Th232	1.10e+00	1.9e-01	3.9e-02	PCI/GDRY	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02913D

QC batch #:

0005791F

Matrix:

SOIL

Assay batch #:

0013274V

Sample type:

Comment:

SAM

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

2.014e-01 GASH

Analysis procedure:
Analyst:

NAREL TH-EICHROM

Dry/wet weight:

84.24 % 94.80 %

QC type:

PMT ANA

Ash/dry weight: Sample description:

N/A N/A

COUNTING INFORMATION

	Date and time	Duration (min)	Detector ID	Operator
05/20/2009 16:52		1000.0	AS06	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	8.08e-02	1.0e-01	1.6e-01	PCI/GDRY	05/20/2009
Th228	5.41e-01	1.8e-01	1.6e-01	PCI/GDRY	05/20/2009
Th230	1.03e+00	2.4e-01	6.9e-02	PCI/GDRY	05/20/2009
Th232	5.58e-01.	1.7e-01	6.0e-02	PCI/GDRY	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02913D

QC batch #:

0005791F

Matrix:

SOIL

Assay batch #:

0013274V

Sample type:

Comment:

SAM

Prep procedure:

N/A

Amount analyzed:

2.014e-01 GASH

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight:
Ash/dry weight:

84.24 % 94.80 % Analyst: QC type:

PMT DUP

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 16:56	05/20/2009 16:56 1000.0		DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	1.05e-01	1.2e-01	1.6e-01	PCI/GDRY	05/20/2009
Th228	4.89e-01	1.9e-01	2.1e-01	PCI/GDRY	05/20/2009
Th230	9.76e-01	2.4e-01	9.2e-02	PCI/GDRY	05/20/2009
Th232	6.10e-01	1.8e-01	7.3e-02	PCI/GDRY	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02916G

2.508e-01 GASH

QC batch #:

0005791F.

Matrix:

SOIL

Assay batch #:

0013274V

Sample type:

Comment:

SAM

Prep procedure:

N/A

Amount analyzed: Dry/wet weight:

82.50 %

Analysis procedure: Analyst:

NAREL TH-EICHROM

Ash/dry weight:

90.40 %

QC type:

PMT ANA

Sample description:

N/A N/A

COUNTING INFORMATION

Date and time Duration (min)		Detector ID	Operator	
05/20/2009 16:56	1000.0	AS08	DPG	

Analyte	Activity	± 2 σ Uncertainty	MDC	Unit	Date
Th227	6.53e-02	7.3e-02	1.1e-01	PCI/GDRY	05/20/2009
Th228	9.84e-01	1.9e-01	1.0e-01	PCI/GDRY	05/20/2009
Th230	1.29e+00	2.3e-01	3.5e-02	PCI/GDRY	05/20/2009
Th232	8.66e-01	1.7e-01	4.7e-02	PCI/GDRY	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02921D

QC batch #:

0005768G

Matrix:

SOIL

Assay batch #:

0013257U

Sample type:

SAM

Prep procedure:

N/A

Amount analyzed:

2.545e-01 GASH 91.74 %

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight:

Analyst: QC type: **PMT** ANA

Ash/dry weight:

96.00 %

Sample description: Comment:

N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 16:01	1000.0	AS36	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	7.11e-02	7.9e-02	1.1e-01	PCI/GDRY	05/12/2009
Th228	7.87e-01	1.7e-01	1.2e-01	PCI/GDRY	05/12/2009
Th230	7.48e-01	1.5e-01	3.9e-02	PCI/GDRY	05/12/2009
Th232	8.28e-01	1.6e-01	5.2e-02	PCI/GDRY	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02924G

QC batch #:

0005768G

Matrix:

SOIL

Assay batch #:

0013257U

Sample type:

Comment:

SAM

Prep procedure:

N/A

Amount analyzed:

2.527e-01 GASH

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight: Ash/dry weight:

86.84 % 91.60 % Analyst: QC type: PMT ANÀ

Sample description:

N/A

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/13/2009 16:01	1000.0	AS37	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	1.30e-02	6.4e-02	1.3e-01	PCI/GDRY	05/12/2009
Th228	7.17e-01	1.6e-01	1.2e-01	PCI/GDRY	05/12/2009
Th230	6.00e-01	1.4e-01	4.6e-02	PCI/GDRY	05/12/2009
Th232	8.17e-01	1.6e-01	4.6e-02	PCI/GDRY	05/12/2009
		1			

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

A9.02925H

QC batch #:

0005768G

Matrix:

SOIL -

Assay batch #:

0013257U

Sample type:

SAM

Assay batch #:
Prep procedure:

0013257U N/A

Amount analyzed:

2.530e-01 GASH

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight:

79.85 %

Analyst:

PMT

Ash/dry weight:

87.60 %

QC type:

ANA

Sample description: Comment: N/A N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator	
05/13/2009 16:01	1000.0	AS38	DPG	

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	4.15e-02	7.1e-02	1.2e-01	PCI/GDRY	05/12/2009
Th228	8.42e-01	1.7e-01	1.1e-01	PCI/GDRY	05/12/2009
Th230	5.44e-01	1.3e-01	4.8e-02	PCI/GDRY	05/12/2009
Th232	5.61e-01	1.3e-01	6.1e-02	PCI/GDRY	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

LCS-00560086P

QC batch #:

0005768G

Matrix:

N/A

Assay batch #:

0013257U

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight: Ash/dry weight:

N/A N/A

Analyst:

PMT

Sample description:

N/A N/A

Comment:

QC type:

LCS

COUNTING INFORMATION

. !	Date and time	Duration (min)	Detector ID	Operator	
1	05/13/2009 16:01	1000.0	AS39	DPG	

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	-2.23e-03	1.1e-02	2.8e-02	PCI	05/12/2009
Th228	2.40e-02	1.9e-02	2.8e-02	PCI	05/12/2009
Th230	2.33e+00	2.0e-01	1.0e-02	PCI	05/12/2009
Th232	1.68e-02	1.2e-02	1.2e-02	PCI	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

RBK-00560085N

QC batch #:

0005768G

Matrix:

N/A

Assay batch #:

0013257U

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure:

Dry/wet weight:

N/A

Analyst:

NAREL TH-EICHROM

Ash/dry weight:

Comment:

N/A.

QC type:

PMT RBK

Sample description:

N/A N/A

COUNTING INFORMATION

	Date and time	Duration (min)	Detector ID	Operator
05/13/2009 16:01		1000.0	AS40	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	-1.13e-03	1.1e-02	2.6e-02	PCI	05/12/2009
Th228	2.06e-02	1.8e-02	2.7e-02	PCI	05/12/2009
Th230	7.29e-03	9.3e-03	1.3e-02	PCI	05/12/2009
Th232	1.03e-02	9.8e-03	1.0e-02	PCI	05/12/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

LCS-00560976R

QC batch #:

0005791F

Matrix:

N/A

Assay batch #:

00037711 0013274V

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure:

NAREL TH-EICHROM

Dry/wet weight:

N/A

Analyst: QC type: PMT LCS

Ash/dry weight: Sample description: N/A N/A

Comment:

N/A

COUNTING INFORMATION

	Date and time	Duration (min)	Detector ID	Operator
ſ	05/20/2009 16:52	1000.0	AS21	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	2.21e-03	1.5e-02	3.0e-02	PCI	05/20/2009
Th228	3.09e-03	1.8e-02	3.4e-02	PCI .	05/20/2009
Th230	2.30e+00	2.0e-01	1.2e-02	PCI	05/20/2009
Th232	8.03e-03	9.3e-03	1.2e-02	PCI	05/20/2009

SDG #0900021

SAMPLE ANALYSIS REPORT

Sample #:

RBK-00560974P

QC batch #:

0005791F

Matrix:

N/A

Assay batch #:

0003791F 0013274V

Sample type:

N/A

Prep procedure:

N/A

Amount analyzed:

1.000e+00 SAMP

Analysis procedure: Analyst:

NAREL TH-EICHROM

Dry/wet weight:

N/A N/A

QC type:

PMT RBK

Ash/dry weight: Sample description:

N/A N/A

Sample descri Comment:

N/A

COUNTING INFORMATION

Date and time	Duration (min)	Detector ID	Operator
05/20/2009 16:52	1000.0	AS24	DPG

Analyte	Activity	±2 σ Uncertainty	MDC	Unit	Date
Th227	3.71e-03	1.6e-02	3.2e-02	PCI	05/20/2009
Th228	2.21e-02	2.2e-02	3.3e-02	PCI	05/20/2009
Th230	6.22e-03	8.4e-03	9.0e-03	PCI	05/20/2009
Th232	-6.90e-04	4.6e-03	1.2e-02	PCI	05/20/2009

SDG 0900021

QC BATCH SUMMARY

QC batch #:

0005768G

Preparation procedure:

N/A

Analysis procedure:

NAREL TH-EICHROM

NAREL Sample #	QC Type	Yield (%)	± 2 σ Uncertainty (%)	Analyst
A9.02906E		94.35 %	5.15 %	PMT
A9.02906E	DUP	94.52 %	5.21 %	PMT
A9.02907F		96.42 %	5.28 %	PMT
A9.02921D		94.89 %	5.22 %	PMT
A9.02924G	,	93.68 %	5.17 %	PMT
A9.02925H		93.81 %	5.13 %	PMT
LCS-00560086P *	LCS	95.84 %	5.26 %	PMT
RBK-00560085N *	RBK	94.50 %	5.15 %	PMT

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

SDG 0900021

QC BATCH SUMMARY

0005791F

QC batch #:
Preparation procedure:

N/A

Analysis procedure:

NAREL TH-EICHROM

NAREL Sample #	QC Type	Yield (%)	±2 σ Uncertainty (%)	Analyst
A9.02913D		92.38 %	5.70 %	PMT
A9.02913D	DUP	87.72 %	5.42 %	PMT
A9.02916G	i.	99.01 %	6.01 %	PMT
LCS-00560976R *	LCS	100.55 %	6.04 %	PMT
RBK-00560974P *	RBK	93.37 %	5.75 %	PMT

^{*} Samples marked with an asterisk are not in this sample delivery group but were analyzed with it for QC purposes.

National Air and Radiation Environmental Laboratory QC Batch Report

QC Batch #: 0005768G

Analytical Procedure: NAREL TH-EICHROM

METHOD BLANKS (PCI)

			/ /
Sample ID	Nuclide	Activity ± 2σ	Prep Date
00560085N	TH227 TH228 TH230 TH232	-1.13e-03 ± 1.1e-02 ; 2.06e-02 ± 1.8e-02 ; 7.29e-03 ± 9.3e-03 ; 1.03e-02 ± 9.8e-03 ;	2009-05-07 2009-05-07

LABORATORY DUPLICATES (PCI/GASH)


Sample ID Nuclide	Original ± 2σ	Duplicate ± 2σ	RPD	Z ·
A9.02906E TH227 A9.02906E TH228 A9.02906E TH230 A9.02906E TH232	1.40e+00 ± 2.1e-01 1.27e+00 ± 2.0e-01	6.47e-02 ± 8.3e-02 1.58e+00 ± 2.5e-01 1.35e+00 ± 2.2e-01 1.23e+00 ± 2.1e-01	12.17 6.18	

LAB CONTROL SAMPLES (PCI)


Sample ID N	uclide Am	t Added ± 2 σ	Measured :	± 2σ .	%R	Z	1 .
00560086P TH	H228 NO H230 2	SPIKE DATA SPIKE DATA .49e+00 ± 2.8% SPIKE DATA	2.33e+00 :	± 2.0e-01	93.92	-1.43 OK	

5/19/09


Procedure: NAREL TH-EICHROM




Procedure: NAREL TH-EICHROM



Procedure: NAREL TH-EICHROM



Procedure: NAREL TH-EICHROM



National Air and Radiation Environmental Laboratory QC Batch Report

QC Batch #: 0005791F

Analytical Procedure: NAREL TH-EICHROM

METHOD BLANKS (PCI)

Sample ID	Nuclide	Activity ± 2σ	Prep Date
00560974P 00560974P 00560974P 00560974P	TH227 TH228 TH230 TH232	3.71e-03 ± 1.6e-02 2.21e-02 ± 2.2e-02 6.22e-03 ± 8.4e-03 -6.90e-04 ± 4.6e-03	2009-05-19 2009-05-19

LABORATORY DUPLICATES (PCI/GASH)

Sample ID Nuclid	Original ± 20	Duplicate ± 2σ	RPD	Z
A9.02913D TH227 A9.02913D TH228 A9.02913D TH230 A9.02913D TH232	5.71e-01 ± 1.9e-01 1.09e+00 ± 2.5e-01	1.11e-01 ± 1.2e-01 5.16e-01 ± 2.0e-01 1.03e+00 ± 2.5e-01 6.44e-01 ± 1.9e-01	10.04 5.83	0.32 OK -0.39 OK -0.34 OK 0.42 OK

LAB CONTROL SAMPLES (PCI)

Sample ID	Nuclide	Amt Added ± 20	Measured ± 2σ	* FR	Z.
00560976R	TH228 TH230	NO SPIKE DATA NO SPIKE DATA 2.49e+00 ± 2.8% NO SPIKE DATA	2.30e+00 ± 2.0e-01	92.57	-1.72 OK

Analyst:

Paule M 7 lext


5/21/09

OA Officer


) MG/

5/21/09

Procedure: NAREL TH-EICHROM




Procedure: NAREL TH-EICHROM




Method Blanks

Analyte: TH230

Procedure: NAREL TH-EICHROM



Procedure: NAREL TH-EICHROM



APPENDIX F REMOVAL SITE EVALUATION FORM

I. SITE NAME AND LOCATION:

NAME: Radiation – Standard Products, Inc. (Former)

ADDRESS OR OTHER LOCATION IDENTIFIER: 650 E. Gilbert Street

CITY: Wichita STATE: Kansas ZIP: 67211

DIRECTIONS TO SITE: From Kansas City, Missouri, take Interstate 35 south to exit 50. Merge onto E Kellogg Drive. Continue to follow US-400. Take the Washington Avenue exit. Turn left at Washington Street. Turn right at E. Gilbert St.

MAP ATTACHED: See Figure 1 with RSE Trip Report

II. PROGRAM CONTACTS:

REQUESTED BY: Randy Schademann

DATE OF REQUEST: 2/25/09

AGENCY/OFFICE: US EPA Region 7 Superfund Division

MAILING ADDRESS: 901 N. 5th Street

CITY: Kansas City STATE: Kansas ZIP: 66101

TELEPHONE: (913) 551-7331 **FAX:** (913) 551-9331

EVALUATOR: Rob Monnig

AGENCY/OFFICE: Tetra Tech EM Inc.

MAILING ADDRESS: 415 Oak Street

CITY: Kansas City STATE: Missouri ZIP: 64106

TELEPHONE: (816) 412-1775 **FAX:** (816) 410-1748

III. REMOVAL SITE EVALUATION CRITERIA [40 CFR 300.410(e)]

IS THERE A RELEASE AS DEFINED BY THE NCP:

YES X or NO

EXPLAIN: A release of radiation contamination (primarily Radium 226 [Ra-226]) to soil has occurred.

(A **RELEASE** is defined as any spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping, or disposing into the environment (including the abandonment of barrels, containers, and other closed receptacles containing any hazardous substances or pollutant or contaminant), but excludes: workplace exposures; engine exhaust emissions; nuclear releases otherwise regulated; and the normal application of fertilizer. For purposes of the NCP, release also means threat of release.)

IS THE SOURCE A FACILITY OR VESSEL AS DEFINED BY THE NCP:

YES X or NO

EXPLAIN: The area where the radiation contamination was released is considered a facility as defined by the NCP.

(A FACILITY is defined as any building, structure, installation, equipment, pipe or pipeline (including any pipe into a sewer or POTW), well, pit, pond, lagoon, impoundment, ditch, landfill, storage container, motor vehicle, rolling stock, or aircraft or any site or area, where a hazardous substance has been deposited, stored, disposed of, or placed, or otherwise come to be located; but does not include any consumer product in consumer use or any vessel. A VESSEL is defined as any description of watercraft or other artificial contrivance used, or capable of being used, as a means of transportation on water other than a public vessel.)

1

DOES THE RELEASE INVOLVE A HAZARDOUS SUBSTANCE, OR POLLUTANT OR CONTAMINANT AS DEFINED BY THE NCP:

YES X or NO

EXPLAIN: Radiation contamination is considered a hazardous substance as defined by the NCP.

(A HAZARDOUS SUBSTANCE means any substance, element, compound, mixture, solution, hazardous waste, toxic pollutant, hazardous air pollutant, or imminently hazardous chemical substance or mixture designated pursuant to the CWA, CERCLA, SDWA, CAA or TSCA. The term does not include petroleum products, natural gas, natural gas liquids, liquefied natural gas, synthetic gas or mixtures of natural and synthetic gas. The definition of POLLUTANT or CONTAMINANT includes, but is not limited to, any element, substance, compound, or mixture, including disease-causing agents, which after release into the environment and upon exposure, ingestion, inhalation, or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, will or may reasonably be anticipated to cause death, disease, behavioral abnormalities, cancer, genetic mutation, physiological malfunctions or physical deformations, in such organisms or their offspring. The term does not include petroleum products, natural gas, natural gas liquids, liquefied natural gas, synthetic gas or mixtures of natural and synthetic gas).

IS THE RELEASE SUBJECT TO THE LIMITATIONS ON RESPONSE:

YES __ or NO X

EXPLAIN: The release does not meet criteria for limitations on response.

(The **LIMITATIONS ON RESPONSE** provisions of the NCP (40 CFR 300.400(B) states that removals <u>shall not</u> be undertaken in response to a release: of a naturally occurring substance in its unaltered or natural form; from products that are a part of the structure of, and result in exposure within, residential buildings or business or community structures; or into public or private drinking water supplies due to deterioration of the system through ordinary use.)

DOES THE QUANTITY OR CONCENTRATION WARRANT RESPONSE:

YES X or NO _

EXPLAIN: Based on the concentration of radiation-contaminated soil at the property, follow-up Superfund response is warranted.

HAS A PRP BEEN IDENTIFIED:

YES X or NO

EXPLAIN: A PRP has been identified.

IV. CONDITIONS TO WARRANT REMOVAL [40 CFR 300.415(b)(2)]:

ACTUAL OR POTENTIAL EXPOSURE TO HAZARDOUS SUBSTANCES, POLLUTANTS, OR CONTAMINANTS:

YES X or NO

EXPLAIN: A release of hazardous substances to residential soils has occurred, as indicated by analytical results of samples collected from the site by the Kansas Department of Health and Environment (KDHE) in 2006, and Tetra Tech START in March 2009; the potential for human exposure to elevated levels of radiation (primarily Ra-226) exists at the site.

ACTUAL OR POTENTIAL CONTAMINATION OF DRINKING WATER SUPPLIES:

YES or NO_X

EXPLAIN: Because the site vicinity is served by the City of Wichita water department, and the contaminated soils are shallow and limited to a discrete area, it is unlikely that any drinking water supplies have been impacted by site contaminants.

2

HAZARDOUS SUBSTANCES, POLLUTANTS, OR CONTAMINANTS IN DRUMS, BARRELS, OR BULK STORAGE CONTAINERS:

YES __ or NO X

EXPLAIN: The site does not contain hazardous substances stored in bulk storage containers.

HIGH LEVELS OF HAZARDOUS SUBSTANCES, POLLUTANTS, OR CONTAMINANTS IN NEAR-SURFACE SOILS:

YES X or NO _

EXPLAIN: Laboratory data for near-surface soils (0-12 inches below ground surface [bgs]) at the site indicate elevated concentrations of Ra-226. EPA has established a removal action level of 5 picoCuries per gram (pCi/g) above background.

CONDITIONS SUSCEPTIBLE TO IMPACT FROM ADVERSE WEATHER CONDITIONS:

YES X or NO_

EXPLAIN: Limited vegetation cover is present over soil areas on the 650. E. Gilbert Street parcel. High winds could blow unprotected soil off the site.

THREAT OF FIRE OR EXPLOSION:

YES __ or NO X

EXPLAIN: No threat of fire or explosion exists at the site.

POTENTIAL FOR OTHER FEDERAL OR STATE RESPONSE MECHANISMS:

YES X or NO _

EXPLAIN: The KDHE Bureau of Environmental Remediation (BER) has been involved with contamination issues related to this site.

OTHER SITUATIONS OR FACTORS WHICH POSE A THREAT:

YES __ or NO X

EXPLAIN: No other situations or factors exist that could pose a threat.

V. POTENTIAL REMOVAL ACTIONS [40 CFR 300.415(d)]:

(NOTE: The following identifies potential removal actions which may be determined to be appropriate pending further review and study. The proposed actions should be considered preliminary proposals and are subject to change.)

SITE SECURITY:

YES __ or NO <u>X</u>

EXPLAIN: The site is not currently secured by fencing. However, fencing would not protect residents and workers who currently occupy the site.

3

STABILIZATION OR REMOVAL OF SURFACE IMPOUNDMENTS:

YES __ or NO X

EXPLAIN: No surface impoundments exist at the site.

CAPPING OF CONTAMINATED SOIL:

YES ___ or NO X

EXPLAIN: Capping of contaminated soil onsite would not effectively mitigate the threat of exposure to radioactive contaminants.

USE OF CHEMICALS TO CONTROL/RETARD SPREAD OF CONTAMINATION:

YES _ or NO X

EXPLAIN: No chemicals would likely be used to control or retard the spread of contamination from site soils.

CONTAMINATED SOIL EXCAVATION:

YES X or NO

EXPLAIN: Excavation of contaminated soils is warranted as a removal action.

REM	OV	AL OF DRUMS, TANKS, OR BULK STO	RAG	E CONTAINERS:		YES or NO X
EXPI	LAIN	N: No bulk storage containers are present on s	site.			
		NMENT, TREATMENT, OR DISPOSAL	OF I	HAZARDOUS SUBSTANCES, POLL	UTA	NTS, YES X or NO _
OR C	CON	TAMINANTS:				
EXPI	LAIN	N: Disposal of hazardous substances (contami	inated	I soil removed from the site) may be req	uired.	
PRO	VID	E ALTERNATIVE WATER SUPPLIES:				YES or NO <u>X</u>
EXPI	AIN	N: The site receives drinking water from the O	ity o	of Wichita Alternative water supplies w	ill not	be required during any future removal
action		The site receives drinking water from the		water supplies w	111 1101	to required during any rature removar
		OVAL SITE EVALUATION DETERM			NARY	Y
		ESSMENT FINDINGS AND RECOMM				
		MOVAL NOT WARRANTED—REMOVA				
(Cite of	ne or	more of the criteria from SECTION III. REMOV	AL S	ITE EVALUATION CRITERIA, as the basis	for th	
-		NOT A RELEASE	TITLA N	TO DECONITA MAINIA NAT		NOT A FACILITY OR VESSEL
		NOT A HAZARDOUS SUBSTANCE OR POLLINSUFFICIENT QUANTITY OR CONCENTRA				SUBJECT TO RESPONSE LIMITATIONS WILLING/CAPABLE PRP IDENTIFIED
COM	MEN	1	X I I O	•		WILLING/CAFABLE FRE IDENTIFIED
COM	IVIE	\1 :				
X	REN	MOVAL RECOMMENDED [EME.	RGE	NCY X TIME-CRITICAL		NON-TIME-CRITICAL]
		more of the conditions or factors from Section IV.			CTIO	
		nducted.)	001		01101	i, us a susis for recommend that a removar
	X	EXPOSURE TO HAZARDOUS SUBSTANCES	OR P	OLLUTANTS OR CONTAMINANTS	X	ADVERSE WEATHER IMPACTS
		CONTAMINATED DRINKING WATER		FIRE/EXPLOSION THREAT	X	CONTAMINATED SOIL
		DRUMS, BARRELS OR CONTAINERS		NO OTHER RESPONSE MECHANISM		OTHER FACTORS
		e or more of the removal actions listed in Section V ch are recommended.)	. REI	MOVAL ACTIONS WHICH MAY BE APPR	OPRI	ATE, as examples of the types of response
		SITE SECURITY		DRAINAGE CONTROL		IMPOUNDMENT STABILIZATION
		REMOVAL OF DRUMS, BARRELS, ETC.		SOIL CAPPING	X	SOIL EXCAVATION
	X	CONTAIN/TREAT/DISPOSE OF WASTES		CHEMICAL CONTROLS		ALT. DRINKING WATER SUPPLIES
COM	ME	NT:				
	ADI	DITIONAL REMOVAL SITE EVALUAT	ION	RECOMMENDED		
		more of the conditions or factors from Section IV.	CON	NDITIONS TO WARRANT A REMOVAL A	CTIO	N, as a basis for recommending that additional
site eva	luati	on be performed.)	OD D	OLIVERANTE OD CONTRADINANTE		A DAVED OF MALE A STATE DAVE OF OTHER
-		EXPOSURE TO HAZARDOUS SUBSTANCES	OK P	1		ADVERSE WEATHER IMPACTS
-		CONTAMINATED DRINKING WATER DRUMS, BARRELS OR CONTAINERS		FIRE/EXPLOSION THREAT NO OTHER RESPONSE MECHANISM		CONTAMINATED SOIL
(Idonti:	fy on	e or more of the removal actions listed in Section V	7 DE !		ODDI	OTHER FACTORS
	•	ch may be appropriate pending the results of furth			OF KI	A1E, as examples of the types of response
		SITE SECURITY		DRAINAGE CONTROL		IMPOUNDMENT STABILIZATION
		REMOVAL OF DRUMS, BARRELS, ETC.		SOIL CAPPING		SOIL EXCAVATION
		CONTAIN/TREAT/DISPOSE OF WASTE		CHEMICAL CONTROLS		ALTERNATIVE DRINKING WATER SUPPLIES
COM	ME	NT:				

SUPERFUND REMOVAL SITE EVALUATION
and
REMOVAL PRELIMINARY ASSESSMENT
VII. ADDITIONAL INFORMATION OR COMMENTS:
VII. ADDITIONAL INFORMATION OR COMMENTO.
EPA USE ONLY
VIII. CERTIFICATION
SIGNATURE: DATE:
POSITION/TITLE:
OFFICE/AGENCY:

SUPERFUND REMOVAL SITE EVALUATION

and

REMOVAL PRELIMINARY ASSESSMENT

(Supplemental Waste Inventory Sheet)

IX. HAZARDOUS SUBSTANCES, POLLUTANTS OR CONTAMINANT INFORMATION:

MATERIAL DESCRIPTION	CONTAINER INFORMATION							
WATERIAL DESCRIPTION								
TRADE NAME/ACTIVE INGREDIENTS	NUMBER of CONTAINERS	SIZE	ТҮРЕ	SOLID or LIQUID	% FULL	CONDITION		